Heads in the Clouds? Measuring Universities' Migration to Public Clouds: Implications for Privacy & Academic Freedom

Tobias Fiebig tfiebig@mpi-inf.mpg.de Max-Planck-Institut für Informatik Germany, Saarbrücken

> Erna Kotkamp E.Kotkamp@tudelft.nl TU Delft The Netherlands, Delft

Seda Gürses F.S.Gurses@tudelft.nl TU Delft The Netherlands, Delft

Fernando Kuipers F.A.Kuipers@tudelft.nl TU Delft The Netherlands, Delft

Menghua Prisse M.M.G.C.Prisse@student.tudelft.nl TU Delft Delft, The Netherlands Carlos H. Gañán C.HernandezGanan@tudelft.nl TU Delft The Netherlands, Delft

Martina Lindorfer martina.lindorfer@tuwien.ac.at TU Wien Austria, Wien

Taritha Sari taritha@cloudheads.net No Affiliation The Netherlands

ABSTRACT

With the emergence of remote education and work in universities due to COVID-19, the 'zoomification' of higher education, i.e., the migration of universities to the clouds, reached the public discourse. Ongoing discussions reason about how this shift *will* take control over students' data *away* from universities, and may ultimately harm the privacy of researchers and students alike. However, there has been no comprehensive measurement of universities' use of public clouds and reliance on Software-as-a-Service offerings to assess how far this migration has already progressed.

We perform a longitudinal study of the migration to public clouds among universities in the U.S. and Europe, as well as institutions listed in the Times Higher Education (THE) Top100 between January 2015 and October 2022. We find that cloud adoption differs between countries, with one cluster (Germany, France, Austria, Switzerland) showing a limited move to clouds, while the other (U.S., U.K., the Netherlands, THE Top100) frequently outsources universities' core functions and services—starting long before the COVID-19 pandemic. We attribute this clustering to several socioeconomic factors in the respective countries, including the general culture of higher education and the administrative paradigm taken towards running universities. We then analyze and interpret our results, finding that the implications reach beyond individuals' privacy towards questions of academic independence and integrity.

KEYWORDS

Platformization, Platform Capitalism, Centralization, EdTech

This work is licensed under the Creative Commons Attribution 4.0 International License. To view a copy of this license visit https://creativecommons.org/licenses/by/4.0/ or send a letter to Creative Commons, PO Box 1866, Mountain View, CA 94042, USA. *Proceedings on Privacy Enhancing Technologies 2023(2), 1–34* 20 2023 Copyright held by the owner/author(s). https://doi.org/XXXXXXXXXXXXXXXX

1 INTRODUCTION

Over the past decade, we have seen a shift in IT operations towards the use of cloud infrastructures [104, 140]. Instead of running IT services with on-site teams and on infrastructure owned by organizations, services are now often deployed on public cloud infrastructure. Especially for web services, the model of using Software-as-a-Service (SaaS) has become prominent. However, this operational paradigm shift also leads to a change in control. While, before, user data would remain on infrastructure controlled by an organization, this data is now stored and processed by an external operator.

For universities using cloud infrastructures, this leads to hard challenges, stretching from limiting their ability to audit or implement privacy-by-design, e.g., privacy guarantees ensured through technical means, or ensure privacy-as-compliance, e.g., in terms of following privacy regulations [50, 156], to impacting a university's ability to obtain meaningful informed consent when they employ cloud operators. Over the past year, for example, much debate surrounded the use of Zoom as the now de facto standard for remote lectures. Zoom only started to systematically attend to privacy and security concerns raised by educational institutions when pressure was handed down to the company from investors [103]. Still, universities that adopted Zoom for their lectures practically reduced students' consent choices to either using Zoom, and having their personal data processed by Zoom, or not participating in lectures.

The infrastructural and data control acquired by companies like Zoom have a knock-on effect on academic freedom. In 2020, Zoom ultimately prevented faculty and students at New York University from conducting a guest lecture – incidentally on censorship by Zoom and other tech companies – using their Zoom license [117]. The question hence expands beyond 'what private data do universities share with cloud platforms,' to include 'in what way can these cloud platforms use their infrastructural position and data practices to influence academic processes in universities.'

The adoption of educational technology ('*EdTech*'), i.e., the use of "market-facing digital technologies in education" [109], already prompted critical studies from the social sciences, warning about

blurring lines between public educational institutions and private corporations as a threat to academic self-governance [91, 109, 132, 144]. Despite these concerns, there are no comprehensive measurements of how reliant universities are on public cloud infrastructures. We address this gap by measuring cloud adoption in universities since 2015 in seven countries (the U.S., the U.K., Germany, Switzerland, Austria, the Netherlands, and France) and in the Times Higher Education (THE) Top100. We measure universities' hosting on cloud platforms, their use of cloud-based email providers, cloud-based learning management systems (LMS), and cloud-based video and lecturing tools.

We find that universities in the Netherlands, the U.K., the U.S. and in the THE Top100 are significantly more prone to depend on cloud infrastructures, while those in France and Germany rely far more on in-house services. We attribute these differences to a diverse set of socio-economic factors, including a historically different understanding of what higher education means, the university functions (research, education, administration) the IT infrastructure is aligned with, and the value placed on academic independence. We further observe that universities' migration to centralized clouds (Google/Amazon/Microsoft) does not show a clear pandemic effect as observed for the Internet as a whole [62]. The notable exception are video conferencing tools, where we see a clear uptick of adoption across the board, except for the U.S., where especially Zoom adoption was on the rise years before the pandemic.

In summary, we make the following contributions:

- We are the first to map out the cloud dependence of universities in Europe, the U.S., and the THE Top100, and find that it is an ongoing process predating the COVID-19 pandemic.
- We document and attribute differences between countries to different paradigms for university IT and higher education.
- We find that data and infrastructure control have implications for privacy and beyond, also threatening academic freedom.

2 UNIVERSITY IT

Generally speaking, universities are organizations with a purpose or function, which can be supported by IT pillars [154]. Commonly, these major functions are: Education, Research, and to enable these two, Administration [141]. While these functions may seem intuitively discrete, they partially overlap, also in the tools and applications used to address their needs.

Universities look towards cloud infrastructure as a way to reduce their own IT investments, and potentially even a chance to free up and monetize assets, e.g., IPv4 addresses [121, 134]. While the use of specific tools may lead the university to enter into agreements with a multitude of companies, many of these tools themselves are hosted on one of the three largest cloud platforms: Google Cloud, Amazon EC2, and Microsoft Azure.

Education. IT infrastructure for education includes all tools that enable students to learn. Traditionally, this means all systems used for assessment and learning management systems (LMS), e.g., Moodle [32]. While educational software for remote teaching already received attention before the COVID-19 pandemic in the context of blended learning and MOOCs (Massive Open Online Courses), COVID-19 increased the importance of learning infrastructure, like video chat and streaming solutions, as well as examination and

proctoring software. In most universities, these tools are offered institution-wide as centralized services, usually with the support of a central IT department. In addition, specific programs might need additional infrastructure, e.g., a program on system and network engineering may also need dedicated server rooms and networking labs [33], often offered in a decentralized manner.

Several vendors offer cloud-based LMS, which allow universities to outsource one of their largest systems (in terms of users). Even though tools for self-hosted remote lectures exist, the common perception associates remote lecturing mainly with Zoom, and, to a lesser extent, other cloud-based platforms like Microsoft Teams and Cisco WebEx. Similarly, proctoring solutions - a concept of questionable ethics [46, 142] - are almost exclusively provided as cloud-hosted services.

Research. Research IT infrastructure is often more dependent on the individual needs of researchers, and therefore tends to be decentralized. Applications here range from the, in our field, common experimental systems (IoT test labs, network measurement infrastructure, and machines vulnerable to certain exploits) to IT systems used to control a diverse set of research instruments, such as electron microscopes or chemical processing lines. In addition, super computing capabilities [71], data storage and open data platforms [173], and research software that support quantitative and qualitative methods, e.g., survey and statistics tools [31] are often outsourced or centrally provided.

Cloud services can replace both types of research infrastructure. Researchers may use Platforms-as-a-Service for running measurement and experimental systems, especially when using GPUsupported compute. Furthermore, universities may provide outsourced and cloud-hosted instances of survey and interview platforms as a service for their researchers. Especially Amazon's Mechanical Turk has become a common tool in human factors work, ranging from social sciences to usable security and privacy [122].

Administration. The administrative function of a university entails all services and operations needed to support (not execute) its primary functions for education and research. This means budgeting and accounting tools, HR systems including personnel management databases and applicant management systems, and also student admissions. Furthermore, this entails foundational services like email, and the operation of a universities' network. Similarly, telephony and business communication tools - before the pandemic tools like Skype-for-Business (SfB), Microsoft Sharepoint, as well as Microsoft Teams and other video chat solutions that now overlap with educational tooling – *traditionally* fall into this category.

Applications for specific use cases (hiring, student admission, finance and accounting) are complex and highly business critical. Hence, outsourcing allows universities to reduce the needed local expertise to run these tools, while shifting the responsibility in case they become inoperable. Especially for tasks like email or security management, cloud setups promise higher reliability.

METHODOLOGY OVERVIEW 3

We first describe our general methodology in terms of the dataset and selected institutions. We describe specific aspects for the individual services in the corresponding sections (§4 on cloud infrastructure, §5 email, §6 LMS, and §7 video conferencing).

3.1 Dataset

We use Farsight's Security Information Exchange (SIE) dataset [61] to measure (*i*) to what extent universities depend on cloud infrastructure, and, (*ii*) how this dependency developed over time. Farsight collects this dataset via recursive DNS resolvers of ISPs. Collaborating ISPs can install a sensor, which sends all cache misses [95, 111]–see Table 4 in Appendix A–of their clients to Farsight.

Our dataset spans from January 1, 2015 to Oct 31, 2022 in permonth slices. Due to the nature of our dataset (see Appendix A) we focus on determining *if* an organization utilizes specific cloud resources, but not *how much* they utilize it. We use a historic dataset of all cache misses observed by participating DNS resolvers spanning from January 1, 2015 to Oct 31, 2022 in per-month slices. A unique cache miss is defined by the tuple of <rrname, rrtype, bailiwick, rdata> (see Appendix A). As we only receive cache misses, we cannot make statements about the *popularity* of domain names. Therefore, we focus our analysis on establishing a lower bound on the use of cloud resources, or, in more practical terms, we determine *if* an organization utilizes specific cloud resources, but not *how much* they utilize it. We provide a comprehensive description of DNS and the Farsight dataset in Appendix A.

Compared to actively collected large-scale DNS datasets, for example OpenINTEL [79, 124], the Farsight dataset enables us to look *deeper* into the DNS tree of individual organizations. As we see all names that were requested by clients behind DNS recursors participating as sensors, we can see application-specific names (e.g., application.example.com.) that are not part of the set of names gathered by active measurement platforms (as they need a priori knowledge of these names). Specifically, these platforms request a known set of record types and names for all domains listed in top-level-domain zone files to which they have access [79, 124].

To illustrate this with a non-exhaustive example, example.com, these platforms will regularly request the NS, MX, A, and AAAA record for example.com, as well as A and AAAA records for www.example.com. However, lms.students.example.com will not be included, because the subdomain students.example.com is not listed in the authoritative zone file. Contrary, the Farsight SIE dataset contains data on lms.students.example.com, if at least one client behind a sensor did request that name during the measurement period, and data was successfully returned. For the limitations of this approach, please see §10.

Ethical Considerations. To not collect personally identifiable information (PII), the Farsight passive DNS dataset consists only of cache misses found at recursive DNS servers, and does neither list the recursive resolver a record was seen on, nor the client that requested it [61]. Furthermore, we only process DNS entries under universities' domains and under domains of major cloud services (zoom.us etc.). We followed established best practices for handling passive datasets, as outlined by Allman et al. [5]. In our analysis, we only look at *specific* names under university domains (see §4-§8), which are only related to services and not individual users, and only investigate IP addresses of cloud platforms (see §4).

A hypothetical scenario – usually filtered for by Farsight – that may still leak PII is a university using dynamic DNS updates for user networks, see RFC2136 [155]. For example, a user's machine with the hostname 'Firstnames-iPad' may obtain a DHCP [57] lease

Table 1: Count of selected Universities per country. See Ap	p
pendix C for a detailed list of institutions and domains.	

Country	Count	Country	Count
Austria	34	The Netherlands	19
France	74	Times Higher Education Top100	100
Germany	81	United Kingdom	115
Switzerland	14	United States	260

in a university's WiFi, and subsequently use dynamic DNS to register an A record for the IP address it just received under the name Firstnames-iPad.user-wifi.example.com. As we only search for *specific* names under universities' domains and not for this edge-case, we cannot comment on its existence in the dataset. Additionally Farsight filters for these cases (see Appendix A).

Moreover, following the Menlo report [14, 55], we conducted a harm-benefit analysis. We found that, as we take additional measures against accidentally handling PII – as described above – and we work with a historic dataset that has been collected under the premise of not containing PII, the benefits of using this dataset to investigate cloud adoption, given its far reaching implications as discussed in §9, outweigh the limited and mitigated potential harm.

3.2 Selection of Institutions

We focus on universities (PhD awarding institutions) in the global north, specifically the U.S., Germany, Switzerland, Austria, the U.K., the Netherlands, and France, see Table 1. Appendix C lists all institutions and corresponding domains for each category.

We are familiar with the laws and educational systems of these countries, which we saw as a precondition to interpreting the data. We also hoped to contrast the effect of GDPR across countries, but found no conclusive evidence. For international comparison, we included institutions listed in the THE Top100 for 2020 [147]. The universities we studied predominantly use services dependent on dominant cloud providers from the U.S.. An expansion of this study to include universities and cloud providers from other parts of the world is ongoing research with collaborators from those regions.

For the U.S., we selected all R1 [39] and R2 [40] universities based on the Carnegie Classification of Institutions of Higher Education (also listed on Wikipedia [159]). For the remaining countries, i.e., Germany [161], the U.K. [164], Switzerland [162], Austria [160], France [158], and the Netherlands [163], we rely on the Wikipedia pages listing universities. We argue that this is a sufficiently reliable source for this information, given its general nature. We further manually investigated each listed university to identify their associated domain name(s). We do not claim completeness, but instead try to estimate a lower bound with our measurements. If a university uses multiple domains, or used a different domain in the past (especially common in France due to a history of reorganization of the university system), we check all domains and aggregate the results under the name of the institution.

To ensure that our data is not influenced by institutions into which we only have limited visibility, we excluded all institutions for which we did not see at least ten distinct names¹ in at least one

¹In www.example.com, www is a name under example.com. If we talk about ten distinct names, we mean seeing at least ten different names, e.g., mail.example.com, www.example.com, etc.

month within our seven-year dataset. The institutions we filtered due to limited visibility are: (*i*) in the Netherlands the Theological University Apeldoorn, a small topic-specific university with no considerable IT infrastructure, (*ii*) in France 16 domains, which are remnants from before the merging processes of universities in the late 1990s/early 2000s, (*iii*) in the U.K. 28 domains, the Courtauld Institute of Art and 27 domains which belong to universities that are included in the dataset with other domains they predominantly use, e.g., ox.ac.uk. instead of oxford.ac.uk., and (*iv*) in Austria four domains, one of which is a secondary domain for the University of Salzburg, which is included via its mainly used domain uni-salzburg.at., and three small private universities in Vienna.

3.3 Visibility of Private Cloud Use

One question that may arise is whether we also observe private cloud use, e.g., an individual researcher using Gmail, or if such private cloud use from a university campus adds noise to our data. As the dataset we use is an aggregate view of DNS requests made, and we only look at names *under universities' domains*, we cannot infer usage patterns on a campus or that of individual users. Specifically, a user visiting mail.google.com in their browser – no matter if on campus or not – would have their browser make a DNS request for mail.google.com. The aggregation of *all* requests with the same data that month leads to this entry (simplified):

{'count': 1234, 'rrname':'mail.google.com.',
'rrtype':'A', 'rdata':['142.250.179.165']}

From this, it *cannot* be inferred which user made this request, where they made it, or when exactly they made it. Hence, we are not even including these requests in our work. Instead, we select records *under the domain of a university*, to infer whether they are using Google services for their *inbound* email. For example, for 'Example University' using the domain 'example.com', we would find the following entry in our dataset:

> {'count': 42, 'rrname':'example.com.', 'rrtype': 'MX', 'rdata':['5 alt1.aspmx.l.google.com.']}

This means that, during the month in which this DNS entry was observed, mail for, e.g., user@example.com would have to be delivered to the mail server alt1.aspmx.l.google.com. For other analyses, we analogously use different RRtypes *under universities' domain names*. Hence, private use of cloud services *does not show up in our dataset*. To get a perspective *including* individual researchers' use of cloud products for *a single university*, a measurement study looking at a university's network uplink would have to be conducted, similar to the concurrent study by Karamollahi et al. [88].

3.4 Quantitative vs. Qualitative Approach

In our work, we utilize a quantitative approach to measure cloud adoption across a sample of over 600 universities. Arguably, a qualitative approach could have provided more in-depth insights into the organizational motives, while being more direct, and allowing for a larger temporal sample, i.e., observations on situations before the start of our quantitative dataset. Nevertheless, in order to attain a comparative perspective between regions, collecting qualitative data from over 600 universities constitutes a significant effort, and necessitates recruitment channels for these specific universities as well as local language proficiency. Qualitative investigations of the observed differences can then become the subject of subsequent studies, also reducing the number of interviews necessary, as these can be restricted to more targeted research questions and observed differences in regions. Furthermore, a qualitative approach requires linear effort for including further regions and universities in future analyses. In contrast, our quantitative approach can be easily scaled beyond the list of universities we studied.

4 CLOUD USE OVERVIEW

In this section, we provide a first overview of universities' reliance on cloud infrastructure of the 'Big Three' (Amazon, Google, and Microsoft). We want to understand to which extent names under universities' domains point toward these infrastructures, regardless of their popularity. This way, we do not only capture the most frequented names – for example the main website, or resources commonly used by students – but also capture, e.g., HR and administration tools, along with systems used for research. Hence, we look at whether universities have *at least one* name under one of their domains that points to each of the three providers above.

Service Deployment. We start by measuring whether at least one generic service under a university's domain runs on cloud infrastructure. Hosts and services on the Internet generally need a name, and this name [28] usually points to an IPv4 address [120], IPv6 address [53], or both (dual stack) [133], commonly enabled by DNS [110], via A and AAAA resource records, respectively. The servers, or hosts, a service runs on can then be addressed by their corresponding IP address (IPv4 or IPv6). IP addresses are commonly registered to an organization that uses them [81] via their Regional Internet Registry (RIR). When a service is run on hosts in a cloud provider's infrastructure, the IP address via which they are reachable will identify that cloud provider.

This means that if the infrastructure for studentadmin.example.com runs on Amazon EC2 infrastructure, its A and/or AAAA records will point to an IP address owned by Amazon. For this, it is not necessary that studentadmin.example.com provides a web service (a service offered via HTTP(S) [65]), but it could also be any other common network service like a file or authentication server. This also means that a university may use multiple cloud providers at the same time, if hrservice.example.com runs on Microsoft infrastructure and its A and/or AAAA correspondingly point there.

Methodology. For each university, we collect all A, AAAA, and CNAME resource records (RRs) for its domains. We then try to resolve all CNAME RRs from the dataset of the corresponding month in which they were observed. If we are unable to resolve a CNAME to an IPv4 or IPv6 address, we match RRs for products regularly hosted in certain infrastructure to IP addresses of the hoster. For example, we consider CNAMEs like www.example.com. IN A ec2-203-0--113-25.compute-1.amazonaws.com. as hosted by Amazon.

We then use the AS59645 BTTF historic bulk whois service [139] to identify the Autonomous System (AS) that has been announcing a specific IP address during the month in the past for which we observed it in our dataset. The AS59645 BTTF historic bulk whois service leverages several historic datasets to provide information on the ASes that announced specific IP addresses up to one-day resolutions, spanning the period from May 2005 (for IPv4) and January 2007 (for IPv6) up until today. Please see the BTTF whois paper by Streibelt et al. for a detailed description of the methodology [139].



Figure 1: Universities' use of the 'Big Three' cloud providers (Amazon, Google, Microsoft) in the U.K., the U.S., and Germany from January 2015 to October 2022. See Figure 10 in the Appendix for an overview of all measured countries.

Results. Figure 1 presents an overview of our findings. On a macroscopic level, we already see major differences between institutions from different countries. Having at least one system located at a major cloud provider is common for the U.S., the U.K., and the Netherlands. The THE Top100 show a pattern similar to the U.S.. Cloud usage in these three countries and the THE Top100 shows a high share of using services hosted at Amazon. We find that the U.S. developed towards a situation where all of the three major operators are used at universities at the same time, rising from 79 institutions (30.38%) in January 2015 to 227 (87.31%) in October 2022. For the Netherlands and U.K., we see a lower share of Google over time, starting at 30 (26.09%) of all institutions for the U.K. and 4 (21.05%) for the Netherlands in January 2015, reaching 62 (53.91%) and 10 (52.63%), respectively, in October 2022. Note that, in the U.K., the adoption of Amazon-hosted cloud services took place between 2015 and 2017, with the largest adoption happening in 2016. We conjecture that this is related to AWS being included in the U.K.'s government cloud from late 2013 onwards [86], as prior outsourcing arrangements are unlikely to be quickly changed to new offerings [67]. Contrary to the U.S., where commonly all three major providers are used, a combination of Amazon and Microsoft is more common in the Netherlands and U.K..

France, Germany, and Austria form a clear contrast to this picture. All three of these countries have a lower cloud usage, with less than 50% of universities relying on cloud providers for any services: 2 (2.47%) to 40 (49.38%) for Germany, 10 (13.51%) to 32 (43.24%) for France, and 0 to 20 (58.82%) for Austria from January 2015 to October 2022. Switzerland, starting at 5 (35.71%) in January 2015 and reaching 12 (85.71%) in October 2022 developed from a middle ground between these two clusters towards the first one.

Note that the uptick of Microsoft-related infrastructure in Germany in December 2020 relates to the occurrence of names like (lync)autodiscover.example.com that point to Microsoft Azure addresses. Without this increase, we observed at least 24 (29.63%) of institutions in Germany using public cloud infrastructure in November 2020. We conjecture (also see §7), that this connects to the wider introduction of Microsoft Office 365, or activation of new features in an existing MS Teams installation (the specific name is a necessary condition for using Skype-for-Business use, but *may* also occur for an Office365 or Teams deployment). See, for example, an announcement of the Ruhr University Bochum [129].

In general, we find that cloud infrastructure dependence across all sampled countries is on the rise. However, in the Netherlands, the U.S., the THE Top100, and the U.K., we find this increase from a high level, i.e., U.S., U.K., Dutch, and THE Top100 universities already frequently used cloud infrastructure before January 2015. Still, we find an increase in cloud usage for these countries.

We note that we *do not* find a 'pandemic effect' [62] in the use of cloud infrastructure across institutions. Instead, the migration of higher education to the cloud seems to be an ongoing process that started more than five years ago. Furthermore, we find that the use of cloud resources fundamentally differs between countries. We revisit this pattern in §9, as we can observe similar effects for other cloud infrastructures as well.

5 CLOUD-BASED EMAIL

Here, we investigate universities' use of cloud-based email infrastructure. Email is arguably one of *the* most essential services on the Internet for professional communication. It regularly carries significant PII, when students have questions on courses, or seek advice in professional and personal matters, and it transports grades and course assignments, but also job applications, research data, academic discourse, and ideas.

Email is a common gateway for attackers to convince users to install malware or redirect them to phishing sites [77, 135, 169]. Hence, spam and malware filtering are common services offered by outsourced email platforms, and usually a significant selling point in moving to cloud-based email providers [51]. However, as Patrick Breyer, a member of the European Parliament, recently noted this also means that the operator is in control of which emails are and which are not delivered to users.² The strict inbound rules of major providers, which can lead to false positives [68, 108], mean that universities using these services outsource the decision which emails reach their faculty and students along with the service.

Service Deployment. Email is one of the most complex protocols currently used on the Internet [80], and for a more in-depth explanation we refer to related work, e.g., see Holzbauer et al. [80] for details on the configuration of modern email sending setups.

Here, we restrict ourselves to a description of inbound email handling. To receive email for a domain, one has to set MX records in that domain that provide a (prioritized) list of names of servers that accept emails for the domain. When a cloud-based email service provider is being used, the MX records of a domain point at email servers of said cloud provider. So, when Exchange in the Cloud or Office 365 are being used at an institution, the MX records point at servers with names under outlook.com. In addition, there are various email security appliances that upload received emails to cloud setups for, e.g., security and spam checks. For these to work effectively, additional DNS records for, e.g., DMARC have to be set to direct information to other services of said operator.

² "Incredible: Microsoft decides which e-mail Members of the European Parliament get to read in their inbox. It's called Outlook spam filter and cannot be disabled.", Patrick Breyer, MEP, https://twitter.com/echopbreyer/status/1363854606132858882 (February, 22, 2021; archived: https://archive.ph/5L00T).

Table 2: Selected MX domains from cloud providers.

Operator	MX Domains	
Microsoft	outlook.com, hotmail.com	
Google	<pre>google.com, googlemail.com, smtp.goog</pre>	
Proofpoint	pphosted.com	
Cisco	iphmx.com	
Other	trendmicro.eu, messagelabs.com, schlund. spamfighters.net, mailcontrol.com, spamhero.c emailsrvr.com, mailspamprotection.com, fireeyecloud.c mailanyone.net, secureserver.net, mailgun.c icritical.com, barracudanetworks.com	de, com, com, org,

Methodology. To identify whether universities use a cloud-based email service, we investigate their MX records. MX records are DNS entries that determine the email servers responsible for receiving emails for a domain [90]. Hence, we only measure who handles *inbound* email for a university. Their user email access and email storage may be handled on-site or via another cloud-based solution. Still, this means that all email to this institution flows via the identified service operator.

To identify the used operators, we follow the methodology of Henze et al. [76]. We first check if, for any of the second-level domains (SLDs) of a university, any of the MX records points to a domain associated with a cloud-based email provider (see Table 2). If we do not find an MX record for any of the SLDs, we descend further down the DNS tree. This happens, for example, if an institution has dedicated sub-domains for email, similar to using staff.example.com and students.example.com. Hence, if a sub-domain points the MX record at a cloud provider, we also consider the university to be using a cloud provider for email. Please note that the existence of an MX record pointing to a cloud provider does not have interaction effects with the measurements in §4, as we only utilize A, AAAA, and CNAME records, but not MX records there. Nevertheless, use of a cloud email provider might lead to other services, e.g., webmail, having names allocated under a university's domain which then point towards a cloud provider in the sense of what we measured in §4.

We also check whether a university uses Proofpoint's email security solution, which analyzes all incoming emails for an organization to filter out spam and malicious emails. It can either be used as a hosted solution where email is redirected via Proofpoint's servers, similar to products from Cisco, or via an appliance installed on-site that uploads emails and attachments for analysis to the Proofpoint cloud. We identify hosted setups via their MX records, while measuring appliance usage indirectly by evaluating DMARC [93] records. If the rua or ruf³ of a university points to an email address under emaildefense.proofpoint.com, we assume that it uses Proofpoint's appliance-based services. If we do not find an MX record that points to hosts under a cloud provider's domain, or a DMARC record indicating the use of Proofpoint, we count the institution as 'Other/Private.' This approach may under-estimate the number of cloud providers we find. Furthermore, if we are unable to observe an MX record for an institution included in our dataset for a given month, we mark this as 'No MX.'



Figure 2: Email providers used by universities in the U.S. and the Netherlands from January 2015 to October 2022. See Figure 11 in the Appendix for all measured countries.

Validation. We manually retrieved the MX records of universities found using cloud-based email and verified that they indeed point to the identified cloud provider.

Results. When looking at the results of our measurements, see Figure 2, we find that they align with our observations from §4. The U.S., the U.K., the Netherlands, and the THE Top100 are again the countries with the most frequent use of cloud-based email providers, reaching 81 (70.43%) for the U.K., 59 (59.00%) for the THE Top100, and 13 (68.42%) for the Netherlands in October 2022.

The Netherlands present an interesting case here, as we see an increase in Microsoft-based email hosting between late 2018 and early 2020. Manually going through the websites of these universities revealed that they, either shortly before this time posted news items announcing a plan to migrate to Microsoft services, or directly announced a migration to Microsoft services at this time. As for early adopters, Utrecht University had been using Gmail for its students, while using a self-hosted solution for staff.⁴ In 2018, they then decided to migrate students' and staff's email to Microsoft to create a common platform and - as mentioned in their press release - improve 'security' [150]. We assume that this relates to concerns about Google in the context of GDPR. Similarly, Nyenrode University migrated to Microsoft as part of a larger strategy to unify their IT infrastructure [167]. The larger increase in 2019 then may connect to a letter from the Dutch Ministry of Justice and Security sent to parliament, that essentially notes that privacy concerns regarding Microsoft cloud products have been resolved in negotiations [69]. This letter is then, for example, explicitly cited by TU Eindhoven as a reason why earlier concerns about privacy and security no longer apply, and they now migrate their email infrastructure to Microsoft [149].

In the U.S., a total of *five* companies control email services for 220 (84.62%) of all R1 and R2 universities in 2020. Again, Germany and France have a lower use of cloud resources, with neither of those countries exceeding 20% in October 2022: 2 (2.47%) for Germany

³rua (Reporting URI(s) Aggregate) and ruf (Reporting URI(s) Forensic) are entries in DMARC DNS records. If an email server receives messages from a DMARC-enabled domain, it should report information on the received messages (delivered, rejected, quarantined, etc.) back to the addresses listed here.

⁴Note, that we did not measure this specific use of Google's cloud email service, as it was only deployed for the subdomain students..uu.nl, and we use the base domain of universities to determine the predominantly used email provider, if that domain is being used for email, i.e., in the case of Utrecht University, we determined the email provider based on the one used for uu.nl.

Proceedings on Privacy Enhancing Technologies 2023(2)

and 7 (9.46%) for France. Both Austria and Switzerland have a higher adoption of cloud-based email services than Germany and France, with 3 (21.43%) for Switzerland and 9 (26.47%) for Austria in October 2022, both of them staying well below 50% adoption. We see a slight upward trend in the U.S. and the THE Top100, and a notable increase in the U.K. from 67 (58.26%) in January 2015 to 81 (70.43%) in October 2022. For the remaining countries, adoption of cloud email seems to stagnate over our measurement period.

The two most prominent operators are Google, likely with their classroom product, a work-suite containing email, documents and integration with Chrome Books, as well as Microsoft with cloud-hosted Exchange/Office365/Teams. Other cloud providers only play a notable role in the U.K., where they occupy 11.30% of the market in October 2022. The most prominent smaller cloud providers are FireEye and Trend Micro. We find that Proofpoint is most prominent in the U.S. and the THE Top100, where we see the service being used by 22/30 (appliance/hosted; 8.46%/11.54%) and 11/12 (11.00%/12.00%) institutions in October 2022, respectively. We also see Proofpoint moving in the Dutch market, with first universities deploying their products in September 2019.

6 CLOUD-BASED LMS

We now take a look at universities' use of cloud-based Learning Management Systems (LMS), i.e., online tools that allow lecturers to manage and automate courses, reaching from registration, via providing content, to assessment and examination of enrolled students. As such, these systems provide some of the core functionality of what a university *does*. However, these systems also hold the most sensitive data stored about students: Grades, deliverables, and overall study performance.

Putting these systems into cloud infrastructure potentially provides access to this confidential data to unauthorized entities, e.g., via the cloud act [126]. At the same time, it also prevents students from effectively consenting to their data being processed by cloud companies, as an opt-out is only possible by *not* studying at a university using one of these products. Furthermore, these systems are also especially susceptible if a cloud provider decides to enforce their own policies and principles. If, for example, a U.S.-based LMS provider decides to enforce U.S. sanctions against citizens of specific countries for an LMS, including customers outside the U.S., it can effectively dictate which students a university enrolls by controlling the 'means of study.' Given the precedent of GitHub restricting accounts [1] for developers located in Crimea, Cuba, Iran, North Korea, and Syria to comply with U.S. trade sanctions, this is by far no hypothetical scenario.

Service Deployment. Cloud-hosted LMS are commonly run on servers operated by the company providing the LMS as a SaaS. However, to integrate these solutions with the organization for which they are provided, they are commonly aliased to a name under a university's domain name using a CNAME record, see, e.g., the documentation of Brightspace [29] and Blackboard [23]. Hence, by having a CNAME of the form lms.example.com IN CNAME university-name.brightspace.com., users can use the LMS by directing their browser at lms.example.com, providing a consistent appearance for services used by an organization.



Figure 3: Cloud-hosted Learning Management Systems (LMS) used by universities in the U.S. and the Netherlands from January 2015 to October 2022. See Figure 12 in the Appendix for all measured countries.

Methodology. We focus on four large providers of cloud-based LMS: Brightspace (Desire2Learn, brightspace.com), Courseleaf (courseleaf.com), Blackboard (blackboard.com), and Canvas (Instructure, instructure.com). These tools provision their services by having a name in a university's zone pointing a CNAME to their infrastructure, e.g., for Canvas canvas.example.com. IN CNAME example-com.instructure.com. To measure whether a university uses one of these LMS, we check whether we find a CNAME with a target that is below one of the domains used by the above cloud LMS. Note that we also count a SaaS-hosted LMS with servers located with Amazon, Google, or Microsoft, as a cloud-hosted service in §4. Naturally, we do not see whether a university uses an on-site LMS, like Moodle, or a locally hosted version of Blackboard.

Validation. We manually went over matches for December 2021 and visited the identified LMS sites to verify that these universities indeed run the cloud-based LMS.

Results. We find that cloud-hosted LMS are mostly relevant in the U.K., the U.S., and the Netherlands, for the latter two see Figure 3. We find no instances of cloud-hosted LMS in Germany and France, and only two in Austria. In Switzerland, we only find a single Canvas instance at the University of St. Gallen, which has been in operation since January 2019. We revisit the question what universities in these countries are using instead in §9. For the THE Top100, the use of cloud-hosted LMS is mostly due to U.S. universities. In fact, 37 of the 62 universities in the THE Top100 that use a cloud-based LMS in October 2022 are U.S. universities, while U.S. universities only make up 40 universities in the THE Top100. The remaining 25 institutions using cloud-based LMS in the THE Top100 are from the Netherlands (6), the U.K. (6), Canada (3), Australia (4), Hong Kong (2), Singapore (2), Sweden (1), and Belgium (1). Courseleaf is exclusively catering to the U.S. market, as we find no instances outside of the U.S.. We also find a steady growth of the use of cloudbased LMS over time between January 2015 to October 2022: in the U.S. from 87 (33.46%) to 196 (75.38%), in the U.K. from 15 (13.04%) to 64 (55.65%), in the Netherlands from 5 (26.32%) to 13 (68.42%), and in the THE Top100 from 24 (24.00%) to 62 (62.00%). In line with §4 we find that in October 2022, Blackboard, Brightspace, Courseleaf, and Instructure are hosted on Amazon EC2.

7 VIDEO & REMOTE LECTURING TOOLS

Tools for video chatting and VoIP carry longstanding significance in professional communications, for example, Skype-for-Business (SfB). However, with COVID-19, academic core activities – teaching, meetings, and conferences – became dependent on them, a discussion often framed as the 'zoomification' of education.

Hence, here, we review universities' reliance on cloud-hosted video chat solutions. Following §2, we look at common video call tools like SfB, Cisco WebEx, Adobe Connect, and Zoom. Furthermore, we estimate the use of Microsoft Teams, but due to its implementation are limited to an upper-bound estimate.

Service Deployment. Cloud-based video chat tools are commonly hosted under the provider's domain name, e.g., zoom. us for Zoom. Large customers can, however, authenticate their domain using a challenge response mechanic via TXT records for their own domain, allowing the consolidation of users under that domain [170]. In addition, organizational users can create custom 'vanity' sub-domains under the service's second-level domain. This is obligatory if the organization, as most universities, uses a Single-Sign-On (SSO) system, which necessitates a custom landing page [171]. In addition, there are also options where a part of the video communication platform can be hosted on-premise by a customer, while account management remains in the public cloud infrastructure [172]. Adobe Connect, WebEx, and Zoom follow this approach.

MS Teams and SfB may also contain some on-premise components, requiring specific DNS records to enable cloud integration of these products [106, 107]. Furthermore, organizations can authenticate their domain to Microsoft using a dedicated TXT record.

Methodology. To identify universities' use of centralized video chat solutions, we follow three different approaches, based on the platform we are looking at. For Zoom (zoom.us), Cisco WebEx (webex.com), and Adobe Connect (adobeconnect.com), we follow the naming scheme of these services for clients under their domains, i.e., we check if a name exists whose first label is (*i*) the SLD of a university, (*ii*) the SLD and TLD of a university with hyphens in between, or (*iii*) the SLD of a university plus -live (see Table 3). If we find a corresponding name lookup in our dataset during a month, we consider a university as using this service during that month. Furthermore, we consider universities as using Zoom that have a Zoom verification TXT record (see Appendix A).

To establish if a university uses SfB, we check for required DNS entries when operating SfB [107], specifically lyncdiscover.example.com, with example.com being replaced by a university's domain. This overlaps with the prior product name of SfB, Microsoft Lync. Finally, we check for universities which may be using Microsoft Teams. Unlike SfB, Microsoft Teams does not require special DNS entries that make its use uniquely identifiable [106], even though the voice component requires the same DNS entries as SfB [107]. However, to be able to use Microsoft Teams, an operator still has to set a Microsoft cloud verification token of the form MS=ms12345678. Even though the presence of this record does not mean a site does use Microsoft Teams - it may use other Microsoft products as well - we also count the number of sites using this token and report the number of additional universities that may be exclusively using Microsoft Teams, i.e., that do not use any of the other tools (SfB, Zoom, WebEx, or Adobe Connect).

8

Table 3: Example name permutations for assessing zoom.us, webex.com, and adobeconnect.com usage.



Figure 4: Video chat tools used by universities in the U.K., the U.S., and Germany from January 2015 to October 2022. See Figure 10 in the Appendix for all measured countries.

Validation. We manually verified all Zoom links for July 2021 by visiting the corresponding Zoom page and ensuring that it forces users to log in via the related universities' SSO systems. If this was not the case, we used web searches to identify whether the related university refers to this Zoom subdomain for events on any of its websites. From 363 Zoom links we verified, 12 (3.31%) were incorrectly attributed or could not be verified through other channels. We excluded these false positives from our analysis.

Results. Taking a macroscopic look at our data, we again see a similar segmentation as with the previous cases of general cloud usage, email, and cloud-based LMS (see Figure 4). We see a heavy adoption of SfB (from 2015 to 2021) in the Netherlands (one with a large increase mid-2015 to 12 (63.16%)), the U.S. (110 (42.31%) to 199 (76.54%)), the U.K. (9 (7.83%) to 62 (53.91%)) and the THE Top100 (30 (30.00%) to 71 (71.00%)). At the same time we see close to no SfB instances in France, and limited adoption in the remaining countries: 5 (35.71%) in Switzerland, 11 (32.35%) in Austria, and 25 (30.86%) in Germany. Note that in Germany we observed an increase of 20 institutions using SfB between November and December 2020, most likely due to the introduction of Microsoft Teams, which partially uses DNS entries overlapping with those for SfB. We conjecture that this overall picture connects to different operational paradigms between universities in these two clusters, also in terms of administrative centralization (see §2).

When we look at the adoption of the other three platforms, we find an interesting picture, also in relation to the COVID-19 pandemic. In the U.S., we find that the adoption of Zoom and, to a slightly lower extent, WebEx has been an ongoing process that already started back in 2016 leading to 212 (81.54%) U.S. universities using Zoom and 71 (27.31%) using WebEx in October 2022. However, in comparison to December 2019, these numbers 'only' rose by 63 from 144 for Zoom and by 24 from 68 for WebEx, meaning that the pandemic effect is not as large as in other countries, mostly due to the already high adoption of Zoom in the U.S.. Adobe Connect, in general, has a market share similar to WebEx, with 130 (50.00%) U.S. universities using it in October 2022. U.S. universities seem to generally be using a multitude of video chat solutions, with 97 (37.31%) using two, 84 (32.31%) three, and 32 (12.31%) all four of the surveyed tools in October 2022.

This effect can again be found to a similar extent in the THE Top100. Please note that only 40 universities in the THE Top100 are U.S. universities. Here, we also see a continuous adoption of Zoom starting in 2016, leading up to 79 (79.00%) institutions using Zoom in October 2022. We also observe an apparent lack of a significant pandemic effect, and a large diversity of employed tools across universities, with 38 using two, 29 three, and 12 all of the surveyed video chat solutions.

We see a pandemic effect among the remaining countries, especially in terms of Zoom adoption. While Zoom played essentially no role in European universities before February 2020, its adoption quickly increased with the move to remote teaching. Interesting observations here are that most European universities are more discrete in their choice of video teaching platform (either Zoom or WebEx), and that the onset of these tools was sudden, i.e., within a month in the beginning of 2020. France shows a slower increase focused on Zoom, contrary to other European countries where we also observe an increase in WebEx. In the end, we find that in October 2022 Zoom/WebEx use in German universities is at 49 (60.49%)/32 (39.51%), in the U.K. 51 (44.35%)/19 (16.52%), in the Netherlands 13 (68.42%)/2 (10.53%), in Austria 14 (41.18%)/9 (26.47%), in Switzerland 11 (78.57%)/5 (35.71%), and in France 31 (41.89%)/7 (9.46%).

Looking at the possible upper bound for universities using Microsoft Teams *without* the SfB/voice and video chat component, we find that this number is close to zero for the U.S. (4/1.54%), Germany (3/3.70%), and Switzerland (0) in October 2022. In the U.K. (10/8.70%), the THE Top100 (8/8.00%), Austria (2/5.88%), and the Netherlands (2/10.53%) we see a modest number of additional institutions that *might* be using Microsoft Teams. France is the only country where we find a comparatively large amount of potential Microsoft Teams users who do not use *any* of the other solutions of SfB, with 13 (17.57%) institutions in October 2022. This difference has been stable over the past years, and is likely not related to an increase in Teams adoption by universities not *already* using Microsoft cloud services (or providing access to Microsoft software licenses to users from their domain) in the beginning of 2020.

8 SELF HOSTING IN GERMANY

The differences we observe from §4 to §7 beg the question what digital learning tools universities use instead of cloud products, e.g.,

in Germany. Hence, we look at the use of common self-hosted alternatives for LMS (Moodle [32] and Stud.IP [10, 73]) and video chats (BigBlueButton [22]) in Germany, which are reportedly deployed in 90% of higher education institutions [43]. Self-hosted tools may, by default, not be necessarily more privacy preserving than offerings of large cloud providers. However, *control over data* nevertheless remains with the university hosting them, and they are able to audit and – if necessary – reconfigure and patch these tools to conform to privacy regulations and requirements. This could, for example, be seen with BigBlueButton, where the user group around German universities made significant contributions towards the privacy-preserving operation once privacy limitations in its design became apparent [21, 82].

Service Deployment. Self-hosted services are typically deployed on servers located in a university's data-center. As with all services, see §4, these systems and associated services need an IP address and a name to be easily accessible by users. Best practice for naming systems in a professional setting is the use of a hybrid naming scheme, i.e., a scheme in which systems are named partially in a functional way, e.g., mail, survey, or lms, in combination with a formularic component [97]. With this hybrid scheme, a mail system might have the name mail023, for being the 23^{rd} mailserver, leading to the FQDN mail023.example.com. To make such systems more accessible to users, frontend systems commonly also receive an additional functional alias via a CNAME [97]. In the above example, a frontend alias might be mail.example.com, which may also be a load balancer to distribute load and scale the mail setup horizontally [97]. While technically not advised as best practice, functional names are also commonly modeled after the utilized software instead of the function of the software [97].

Hence, for the three systems we study in this section, operators are not restricted to specific naming. Yet, common operational practice makes it likely that systems are either provisioned under partially hybrid functional-formularic names based on the utilized software stack, or at least have an alias with a semi-functional naming scheme, i.e., a scheme that utilizes the software name instead of the system's function for naming. This is also a practice we observed in §6, where, e.g., SaaS instances of Brightspace commonly were aliased from brightspace.example.com instead of the purely functional lms.example.com.

Methodology. To estimate self-hosted LMS and BigBlueButton use in Germany and the U.S., we count the number of universities that either have Moodle/Stud.IP or BigBlueButton related names under their domain. For Moodle and Stud.IP, we count a university as having Moodle or Stud.IP if there is at least one name containing either moodle or studip. For BigBlueButton we count all universities that have at least one name containing bbb, bigbluebutton, scalelite (the load balancer component of BigBlueButton), or greenlight (a common BigBlueButton frontend).

Note that our matching is fuzzy: we may overmatch on hostnames that contain product names without running the associated service, while we may also undermatch when universities host these tools under different names. For example, in Germany, we often found BigBlueButton systems being called konferenz, the German word for conference, explaining the difference between our measured 71.60% and the 90% reported in the media [43].



Figure 5: Universities with at least one name containing 'moodle' or 'studip' for Germany and the U.S. (January 2015– October 2022). See Figure 14 in the Appendix for an overview of all measured countries.



Figure 6: Universities with at least one BigBlueButtonrelated DNS entry for Germany and the U.S. (January 2015– October 2022). See Figure 15 in the Appendix for an overview of all measured countries.

Validation. We manually verified the use of BBB by visiting the BBB pages for the 59 German universities observed using BBB in December 2021, checking if they run BBB related software. We found that all of them did, indeed, ran BBB related software.

Results. In October 2022 65 (80.25%) universities in Germany have names related to Moodle or Stud.IP vs. 146 (56.15%) in the U.S. Moodle. Similarly, we find 58 (71.60%) universities in Germany having BigBlueButton related names under their domain, while this is the case for around 10% in the U.S., see Figure 6. We see a pandemic effect for BigBlueButton in Germany, starting in February 2022.

9 DISCUSSION

9.1 Cloud Infrastructures and Power

The last decade has seen big tech companies honing in on cloud infrastructures as an alternative source of growth [60, 151]. This growth relies on two effects: Realizing the value proposition of reducing costs in terms of Capital Expenses (CapEx) and local Operational Expenses (OpEx) for lower OpEx paid for cloud service charges, and – for individual cloud providers – by attaining a market position making them 'the default' platform to be used [157].

Fiebig et al.

The increasing dependency of big tech on cloud computing for their financial success means that they use political, economic and technical resources to ensure that the clouds are 'the default' infrastructure in as many domains as possible. Their political force is brought to bare using international initiatives, e.g., New Pedagogies for Deep Learning is a global partnership between the OECD, Gates Foundation, Pearson and Microsoft [165]; government partnerships, e.g., the U.K. government has incentivised schools to opt for platforms that are both free to use and bundled up with government-funded technical assistance [165]; and lobbying efforts [114]. Cloud providers use economic incentives by mounting the benefits of economies of scale, financing and physically migrating data to the cloud, and by providing free services that can bypass regular procurement rules. They can capture educational IT either by providing storage, compute, communication platforms, or by becoming the default infrastructure for smaller EdTech companies [87]. As our results in §4 show, universities increasingly use cloud services provided by Amazon, Google, and Microsoft. The fact that we also see a combination of different cloud services, hints at cloud platforms being introduced through other EdTech services.

On the flip side, this migration leads to 'cloud lock-in,' i.e., the dependency on cloud services even when terms and conditions change. For example, Google [136] discontinued free unlimited cloud storage, limiting, e.g., the University of Washington⁵ and University of Utah⁶ to 100 TB of total shared data for each university.

The trend of big tech monopolies shifting from "being mere owners of information, ... to becoming owners of the infrastructures of society" [137] has prompted an ongoing public discussion about the implications of this 'platform capitalism' on different aspects of society [30, 44, 137], yet without zooming in on its implications on higher education. At first sight, the political economic advantages put forth by cloud companies make good fellows with the economized management of universities. However, this also comes with power shifts. Mirrlees and Alvi [109] argue that universities focus on cutting costs, while allowing the big five (Apple, Alphabet/Google, Amazon, Microsoft, Facebook) and a growing ecosystem of start-ups, e.g., in the area of MOOCs, to compete with, and ultimately replace, public education. Most universities do not have the economic or political power to insert their own values and interests in such a market, unless they coordinate on these issues. The international initiatives these companies support make up informal policy networks that increasingly dominate educational policy [152]. Aside from potential impact on democratic societies and educational values, these networks are likely to promote certain forms of education, e.g., the individualised pursuit of 'mastery' enacted primarily through adaptive software, in favor of education that, e.g., promotes interpersonal dialogue and relations with others [165]. In the bigger scheme of things, there are also concerns about 'platform imperialism:' U.S.-based companies could use their global digital default infrastructure to exert 'soft-power' and economic control influencing global norms and values of digital cultures [84], steering curricula and research activities.

 ⁵Twitter thread by Julie Kientz: https://twitter.com/juliekientz/status/ 1400545039688736768 (June, 3, 2021; archived: https://archive.ph/MYllj)
 ⁶Twitter thread by Bryan W. Jones: https://twitter.com/BWJones/status/

⁶Twitter thread by Bryan W. Jones: https://twitter.com/BWJones/status/ 1490802506628145153 (February, 7, 2022; archived: https://archive.ph/qCiCg)

9.2 Cloud Use vs. Academic Freedom

The dependence of universities on cloud platforms for teaching, communication, and research that we observed has serious implications for academic freedom. If education and research depend on an external cloud service, researchers may become bound to comply with requirements set by these organizations. We recently saw Google's handling of Timnit Gebru for a paper not 'deemed worthy for publication' by the company [146], as well with other instances of Google telling its researchers to put a positive spin on 'sensitive topics,⁷ or remove references to Google products [52]. One might argue that this concerns employees of Google, but it also begs the question whether cloud operators could leverage their power to influence critical university research in a similar way. In fact, Google has already been in the spotlight for sponsoring favorable research that is in line with its business and policy interests [45, 113], both in the U.S. [37], and Europe [38].⁸ More generally, Abdalla et al. [3] discussed 'Big Tech' funding for research on the societal impact and ethics of AI, as a way to influence research questions (and answers). In the area of EdTech research, Mirrlees and Alvi [109] observed a lack of critical research, likely because of "...little incentive to 'bite the hand that feeds' " [131].

Conceivably, a major cloud provider could simply indicate that a continued business relation with a university may not be desirable in case the institution and its researchers continue to voice positions critical of that cloud provider. That institution would then face the dilemma of either 'aligning' their researchers, or facing a costly migration of essential services. Such a migration could easily cost millions while severely interrupting research and teaching.

Similar cases can be made for cloud operators enforcing their business rules in terms of, e.g., global sanctions as in the case of GitHub [1]. This may effectively put universities in a position where they either bar students from sanctioned countries attending the university, or at least from using their digital learning environment. Similarly, the reliance on platforms and their policies might impede global research collaborations [42]. Thus, this centralization of power may indeed inadvertently threaten core functions of universities. Hence, the question we have to ask as academics is not whether cloud operators *would* use these powers. Instead, we have to ask ourselves if we are willing to risk that they *could*.

9.3 Privacy and Academia

The move to the cloud raises a number of concerns with respect to the application of privacy by design or compliance. Past studies show that educational institutions do not fare well in making *transparent* the data collection and processing practices of cloud providers to their faculty, staff and students [85, 98, 102]. This can, e.g., happen when a university implements a blanket privacy policy for all digital tooling, including all cloud services. Depending on the diversity of data collection and processing these services entail, privacy policies may become generic, potentially falling short of legal transparency requirements [123]. It may also not be clear to the university what data is going to the cloud. Universities may evaluate and make data agreements with cloud providers, but ensuring these are effective can be challenging. Besides vague privacy policies [92], cloud services come with the promise of being plug-and-play, and recursively, they leverage the benefit of service architectures, and often bundle dozens of third parties [70]. As a result, cloud service providers may fail to make their data flows transparent. The promise of plug-and-play also means that university IT departments are often not given the time or resources to evaluate services. Even when performing privacy evaluations, these stand against digital branding efforts of the university and the partnerships between public institutions and cloud providers [165].

When students, faculty and staff access these services, they are not asked for explicit consent. Universities can, e.g., in the case of GDPR [156], use *legitimate interest, public tasks* or *performance of a contract* to justify data flows to cloud services. Hence, students and faculty may not have a (meaningful) option to opt-out of these services. When there is an opt-out process, people may be incentivized not to use them, e.g., reserving them for 'severe cases' creating time and capacity burdens for faculty and staff. When incentive structures are set up by-design and by-policy to push people onto cloud infrastructures, it is hard to speak of choice. Hence, public education institutions may end up leveraging their structures to on-board students, faculty, and staff as cloud service consumers [98].

If universities continue to outsource core functions to cloud platforms, students will no longer have a choice on whether they want to expose some of their most private information to these major cloud providers. Considering that these cloud services are economically under pressure to monetize either the data they collect (e.g., by creating a recruiting business [143]), or the infrastructural dependency they create, the practices that are being established here are concerning. As Hasan and Fritz [75] argued, platforms, such as LMS (see §6), can collect a wealth of sensitive behavioral and demographic student data, which can be abused for advertisement or surveillance. They also observed, even when this data is not collected directly, student demographics can still be inferred, potentially through the combination with data from other sources. Thus, universities may have to consider whether it is ethical or legal to create an environment where informed consent to data collection is, essentially, no longer possible.

9.4 Universities as Enterprise Networks

In §7 we observe that regions with major cloud adoption also saw a major adoption of SfB early on. Revisiting §2, we noted that tools like SfB would be expected in *centralized* enterprise IT. Hence, we argue that SfB adoption can serve as a proxy to assess the general operational paradigm of a university, i.e., if it is run more like an *enterprise network* or a *university network*.

This mechanic of administrative alignment of IT infrastructures with administration leading to centralization and organizations *behaving* similarly is a well documented effect in the field of Information Systems (IS). DiMaggio and Powell [54] discuss how bureaucratization via coercive, memetic, and normative processes leads to a structural alignment of organizations in a market, see also Scott for a more recent reflection on these theories [130]. Avgerou [11] transferred this institutional perspective to the introduction of IT

⁷Sensitive topics include the oil industry, China, Iran, Israel, COVID-19, home security, insurance, location data, religion, self-driving vehicles, telecoms and systems that recommend or personalize web content [52].

⁸Note that the reports published as part of the *Google Transparency Project* [37, 38] have also drawn criticism for being funded by Google's competitor Oracle [125].

systems and their connection to organizational change. To synthesize, the findings from IS indicate an effect in organizations where administrative alignment leads to IT transformation as *a goal in itself*, lacking *"adequate legitimacy"* [11], without any *"contribution to the process of organizational change"* [11].

Following SfB as a proxy, we conjecture that we observe an increased adoption of cloud technology for countries in which the university system has seen a stronger commoditization – the U.S., the U.K., the Netherlands, and THE Top100 – as also discussed by Bosetti and Walker [27]. In these countries, organizational alignment led to a situation where academic leaders governing a body of scholars were replaced by administrators and business managers *overseeing* university operations. These new managers imported and integrated enterprise tools and culture into the heart of public education, leading towards more cloud adoption.

9.5 Self-Hosting Challenges & Future Work

Concerning self-hosting vs. cloud infrastructures, there are opposing perspectives which have to be discussed. On the one hand, there are positions claiming that, for universities and other companies, the use of cloud infrastructure provides a wealth of benefits. The core idea of cloud infrastructure is the tenant's ability to quickly increase and decrease utilization based on actual demand, while only paying the resources they actually use. Following that point, there is an abundance of reports on cloud-operators' websites describing that, in contrast to self-hosting, cloud infrastructure enables more features and better adaptability [115], transforming organizations "from "IT can't do that" to a 'can do' situation" [105], as claimed in a Microsoft customer success-story. Similarly, customer-stories from Amazon claim that cloud hosting decreases an organization's carbon footprint and fiscal spend by reducing on-site personnel and facilities, along with this increase in agility [6]. Amazon's customers even note that integrating cloud services in education also aids students' future employ-ability [7].

Self-hosting needs local expertise to build usable and secure infrastructure, creating a conundrum between privacy issues of cloud infrastructure and their comparatively higher staffing enabling better security and reliability [64]. Similarly, self-hosted solutions may lack in observed efficacy, stability, and usability. For example, email grew so complex [80] that even experts with decades of experience are unable to get their self-hosted mail setup to deliver to major email providers like Outlook.com and Gmail [63]. Yet, Fenollosa attributes this to these operators' strict filtering against smaller operators in an attempt to reduce spam [63], see §5.

Similarly, in terms of efficacy of specific tools, while some work notes benefits for classroom implementations provided by Google (Google Classroom), more recent work finds non-application specific border conditions more relevant for usability, i.e., availability of Internet access and lecturer's engagement with a platform [72]. To the best of the authors knowledge, there are no recent publications *comparing* the usability of open-source self-hosted digital teaching tools against their cloud-hosted counterparts in established venues in security and privacy, human computer interaction, and educational technology research. Still, research from the early to late 2000s on Linux desktop software notes structural root-causes for limited usability, e.g., due to lacking in user research [118], and community-based initiatives lacking the organizational structure needed for common approaches to usability [12, 13, 19]. Furthermore, looking at decision makers' perspectives via a qualitative study focused on the perceived benefits of cloud migrations, Lal et al. find that clouds are seen as providing better scalability, higher flexibility, and more usable interfaces [94]. Still, concerning cost savings, executives at Hey.com claim staffing reduced in engineering has to be added in other areas [49].

Hence, operating self-hosted infrastructure is certainly neither easy, nor guaranteed to be successful. Looking at cases where selfhosting was successful, we find greater adaptability to be frequently mentioned. For example, the head of IT at the University of Osnabrück – a university committed to self-hosting and open-source for decades– notes that their self-hosting approach was ultimately cheaper and allowed them to react to the COVID-19 pandemic much more seamlessly than other universities who procured cloud products [18]. Similarly, the authors of Blacklight, an open-source literature search and indexing software for university libraries initially started at the University of Virginia, explicitly note adaptability as a major reason to start the project [66].

However, both cases highlight that preserving universities' digital sovereignty - especially given a reduction of local competencies in favor of cloud infrastructure - is not an easy task, but a long-term policy and resource commitment. In both cases, the concerned universities made a long-term commitment, essentially driving their infrastructure and relevant open-source software like in-house applications at large organizations, thereby creating the organizational structure found lacking for solely community-based open source projects in the past [12, 13, 19]. Hence, current cost savings and efficacy, e.g., in Osnabrück or for organizations using Blacklight [116], stem from a decade-long investment in the accumulation of competences by implementing a long-term strategy in which IT is seen as a support facility for teaching and research [18]. With no tangible return-on-investment in the short-term, changes - as all changes - potentially showing a (perceived) reduced system efficacy at first [97], and benefits potentially taking decades to materialize, this approach can be challenging to justify and sustain.

Future Work. Given our observations on a split perspective on self-hosting vs. cloud infrastructure above, several directions of future research emerge. The challenges and benefits of self-hosting as well as cloud infrastructures have to be critically and analytically evaluated. Corporate promotion material is as little of a comparative source for benefits of cloud infrastructures, as is a single case of a counter example proof for the feasibility of self-hosting. Especially in the latter case, scrutiny will have to be applied to the question which combination of factors, including local and state policy, led to current success in that isolated case, and if and how these factors can be facilitated more generally. Similarly, the scientific community should execute structured evaluations of, e.g., public digital infrastructures' usability, to provide an independent empirical basis for discussions on the efficacy of proprietary and cloud-based vs. open-source and self-hosted systems. Furthermore, business, organizational, and societal factors in the progressing adoption of cloud infrastructure have to move into the focus of future research, see, e.g., the work of Srnicek [137].

Proceedings on Privacy Enhancing Technologies 2023(2)

10 LIMITATIONS

The Farsight SIE dataset may not contain all cloud-related names, if these are not queried from a client behind a sensor. While instances of cloud hosting we identify are certainly there, more universities may be using major cloud providers without it showing up in the dataset. Similarly, we cannot make statements on the popularity of names, as Farsight SIE only collects DNS cache misses [61]. Furthermore, the number of universities among the surveyed countries differs (14 in Switzerland, 260 in the U.S.), which may amplify the effect of individual institutions' choices in smaller countries. Our work partly relies on heuristics and the automated analysis and classification of historic data, e.g., in the identification of Zoom, WebEx, and Adobe Connect domains, the use of Proofpoint, and the estimation of Moodle, Stud.IP, and BigBlueButton instances. Hence, we manually revisited our results and verified our findings against live data, as documented in a validation paragraph for each methodology section.

Given the large effect sizes, the alignment of ratio changes between different countries, our additional spot-checks, and our coverage of domain names, we are confident that our results paint an accurate picture of universities' cloud use since January 2015.

11 RELATED WORK

Cloud Infrastructure Measurements. Similar to us, Borgolte et al. [25] use the Farsight SIE dataset to identify domains pointing at cloud infrastructure. Jacquemart et al. [83] performed active DNS measurements on the most popular domains according to Alexa to measure the adoption of cloud services from 2013-2018. Portier et al. [119] and van der Toorn et al. [148] identify cloud service usage via TXT records. Streibelt et al. [138] and Calder et al. [36] use the EDNSØ extension to map cloud infrastructure. Doan at al. [56] combined active DNS measurements with crawling and rendering webpages to measure the consolidation of web resource hosting by Content Delivery Networks (CDNs) and cloud hosts. Henze et al. [76] focused on the adoption of cloud-based email services and identified them based on email headers on a dataset collected from mailing lists, spam traps, and volunteer users. Vermeer et al.'s provide a general taxonomy of asset discovery techniques similar to our targeted asset discovery using a passive dataset [153].

COVID-19 and the Internet. With COVID-19, it became apparent that the continued lock-down situation would have an extended effect on the Internet. As such, several researchers studied this effect, including the increased utilization of cloud-based services. Feldmann et al. [62] studied the impact of the COVID-19 pandemic through the lens of a major Internet Exchange Point from a European perspective, while Liu et al. [99] performed a similar study on changes in network traffic patterns in the U.S.. Boettger et al. [24] provided a similar perspective from the vantage point of the Facebook social network. Along the same lines, Lutu et al. [101] investigated the impact of COVID-19 on mobile network traffic.

Educational Technology in the Cloud. Cohney et al. [47] perform a study into the privacy implications of virtual classroom technology. Contrary to us, they root their evaluation of technology use in a self-reported study among 49 instructors and administrators in U.S. universities, obtaining results similar to our Internet measurement data. In addition, they also analyze privacy policies of common virtual classroom tools, as well as 50 public Data Privacy Addenda (DPAs) in which universities negotiate their own terms platform operators. However, they also note that these terms only apply for institution-wide contracts, and that individual instructors might use other platforms without being aware of the privacy implications. From a student perspective, Balash et al. [15] focused on online proctoring services. They observed an institutional power dynamic and students' implicit trust in the tools selected by their university: the assumption that a university vets a tool or platform before using it lends it credibility. Emami-Naeini et al. [59] studied user attitudes towards video conferencing tools, including in educational settings. They also noted the participants' lack of agency when it comes to platform selection.

Similar to us, Komljenovic [91] theoretically analyzes the implications of the progressing centralization and platformization of educational technology, particularly noting the de-institutionalization of public education accelerated by centralized platforms. Zeide and Nissenbaum [168] analyze (before the COVID-19 pandemic) learner privacy in MOOCs and virtual education, finding it to often violate established norms in terms of privacy and education, supporting our assessment that the 'zoomification' of education is a long-standing process predating the COVID-19 pandemic. Besides these major related publications, several small-scale evaluations often limited to specific tools (usually Zoom) were undertaken during the last years, and have been summarized by Cohney et al. [47].

Finally, similar to us, Angiolini et al. [9] identified data protection challenges of remote teaching from a legal perspective, noting the conflict between platforms' business models and the public interest goals of universities, as well as threats to academic freedom and the right to education.

12 CONCLUSION

We investigated the reliance of universities on cloud infrastructure in seven countries and in the Times Higher Education Top100. We found that the move to the cloud has been ongoing for the past several years, and, apart from video lecturing tools, was not heavily influenced by the COVID-19 pandemic. Our results also highlight that university systems highly differ in their susceptibility to migrate to the cloud. We conjecture that this ties in with a multitude of factors, including the academic and administrative culture, and the history of university IT in the corresponding countries. Furthermore, we discuss the potential impact of this progressing development on the very essence of academic freedom.

In the end, as academics, we have to ask ourselves: Now that we know, are we content with this development, and can we live with the broader implications. If not, we have to find ways to counteract these developments, by investing in decentralized capabilities for independent research and teaching infrastructure, learning from – certainly not perfect – cases like in Germany.

Data & Artifacts: We share our university domain list dataset in Appendix C and at: https://github.com/headsinthecloud/universities (self-hosted: https://git.aperture-labs.org/Cloudheads/universities). Measure cloud hosting at your own university with our artifact: https://github.com/headsinthecloud/cloudheadschecker (self-hosted: https://git.aperture-labs.org/Cloudheadschecker (self-hosted: https://git.aperture-labs.org/Cloudheadschecker).

ACKNOWLEDGMENTS

This work has been supported by the European Commission via the H2020 program in project CyberSecurity4Europe (Grant No. #830929). Our work was enabled by the use of Slack and Signal (both hosted on Amazon EC2), Overleaf (hosted on Google cloud), GitHub (owned and hosted by Microsoft), as well as self-hosted BigBlueButton and Gitea instances. We thank Florian Streibelt for collaborating with us on implementing BTTF whois [139], which we leverage in §4,and Farsight Security, Inc. (now DomainTools) for providing access to the Farsight Security Information Exchange's passive DNS data feed. Without this data, the project would not have been possible. The authors express their gratitude to the anonymous reviewers and the shepherd of this paper for their continuous input during the review and shepherding process. Their input was instrumental in shaping the flow of the discussion in §9.5 and motivating the creation of the BTTF whois service. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the authors' host institutions, Farsight Security, Inc., DomainTools, or those of the European Commission.

REFERENCES

- 1995parham. A Message to GitHub. Aug. 1, 2019. URL: https://github.com/ 1995parham/github-do-not-ban-us (visited on 03/21/2021).
- [2] D. E. 3rd, E. Brunner-Williams, and B. Manning. Domain Name System (DNS) IANA Considerations. RFC 2929. IETF, Sept. 2000. URL: http://tools.ietf.org/ rfc/rfc2929.txt.
- [3] M. Abdalla and M. Abdalla. "The Grey Hoodie Project: Big Tobacco, Big Tech, and the Threat on Academic Integrity". In: Proc. of the AAAI/ACM Conference on AI, Ethics, and Society (AIES). 2021.
- [4] J. Abley and T. Manderson. Nameservers for IPv4 and IPv6 Reverse Zones. RFC 5855. IETF, May 2010. URL: http://tools.ietf.org/rfc/rfc5855.txt.
- [5] M. Allman and V. Paxson. "Issues and Etiquette Concerning Use of Shared Measurement Data". In: Proc. of the Internet Measurement Conference (IMC). 2007.
- [6] Amazon. University of Newcastle Digitises Its Student and Researcher Experience on AWS. 2021. URL: https://aws.amazon.com/solutions/case-studies/ university-of-newcastle-case-study/ (visited on 11/21/2022).
- [7] Amazon. WGU Prepares Students for Industry Success by Working with AWS Education Programs to Bolster Cloud Computing Degree. 2022. URL: https: //aws.amazon.com/solutions/case-studies/wgu-case-study/ (visited on 11/21/2022).
- [8] M. Andrews. Negative Caching of DNS Queries (DNS NCACHE). RFC 2308. IETF, Mar. 1998. URL: http://tools.ietf.org/rfc/rfc2308.txt.
- [9] C. Angiolini, R. Ducato, A. Giannopoulou, and G. Schneider. "Remote Teaching During the Emergency and Beyond: Four Open Privacy and Data Protection Issues of 'Platformised' Education". In: Opinio Juris in Comparatione: Studies in Comparative and National Law 1.1 (2020).
- [10] H.-J. Appelrath, D. Boles, N. Kleinefeld, I. Marcos, D. Reil, M. Runge, M. Schmees, and S. Willer. "Einsatz des Open-Source-Lernmanagementsystems Stud.IP zur Unterstützung der Präsenzlehre der Universität Oldenburg". In: Beiträge der 36. Jahrestagung der Gesellschaft für Informatik eV (GI) (2006).
- C. Avgerou. "IT and Organizational Change: An Institutionalist Perspective". In: Information Technology & People 13.4 (2000).
- [12] P. M. Bach, B. Kirschner, and J. M. Carroll. "Usability&free/libre/open source software SIG: HCI expertise and design rationale". In: CHI'07 Extended Abstracts on Human Factors in Computing Systems. 2007.
- [13] P. M. Bach and M. Terry. "The future of FLOSS in CHI research and practice". In: CHI'10 Extended Abstracts on Human Factors in Computing Systems. 2010.
- [14] M. Bailey, D. Dittrich, E. Kenneally, and D. Maughan. "The Menlo Report". In: IEEE Security & Privacy 10.2 (Mar. 2012). DOI: 10.1109/MSP.2012.52.
- [15] D. G. Balash, D. Kim, D. Shaibekova, R. A. Fainchtein, M. Sherr, and A. J. Aviv. "Examining the Examiners: Students' Privacy and Security Perceptions of Online Proctoring Services". In: Proc. of the Symposium On Usable Privacy and Security (SOUPS). 2021.
- [16] R. Barnes, J. Hoffman-Andrews, D. McCarney, and J. Kasten. Automatic Certificate Management Environment (ACME). RFC 8555. IETF, Mar. 2019. URL: http://tools.ietf.org/rfc/rfc8555.txt.

- [17] D. Barr. Common DNS Operational and Configuration Errors. RFC 1912. IETF, Feb. 1996. URL: http://tools.ietf.org/rfc/rfc1912.txt.
- [18] J. Barthel. Freie Software in der digitalen Lehre: Ganz nach Bedarf. Google Translate: https://netzpolitik-org.translate.goog/2020/ganz-nach-bedarf/?_ x_tr_sl=de&_x_tr_tl=en. Apr. 30, 2022. URL: https://netzpolitik.org/2020/ganznach-bedarf/ (visited on 11/21/2022).
- [19] C. Benson, M. Muller-Prove, and J. Mzourek. "Professional usability in open source projects: GNOME, OpenOffice. org, NetBeans". In: CHI'04 extended abstracts on Human factors in computing systems. 2004.
- [20] T. Berners-Lee, R. Fielding, and L. Masinter. Uniform Resource Identifiers (URI): Generic Syntax. RFC 2396. IETF, Aug. 1998. URL: http://tools.ietf.org/rfc/ rfc2396.txt.
- BigBlueButton. BigBlueButton Privacy Documentation. URL: https://docs. bigbluebutton.org/admin/privacy.html (visited on 03/21/2021).
- BigBlueButton. Engage Your Online Students. URL: https://bigbluebutton.org/ (visited on 03/21/2021).
- [23] Blackboard.com. Domain Redirect. Aug. 30, 2022. URL: https://help.blackboard. com / Web _ Community _ Manager / Administrator / Configure / Domain _ Redirect (visited on 08/30/2022).
- [24] T. Boettger, G. Ibrahim, and B. Vallis. "How the Internet reacted to Covid-19: A perspective from Facebook's Edge Network". In: Proc. of the Internet Measurement Conference (IMC). 2020.
- [25] K. Borgolte, T. Fiebig, S. Hao, C. Kruegel, and G. Vigna. "Cloud Strife: Mitigating the Security Risks of Domain–Validated Certificates". In: Proc. of the 25th Network and Distributed System Security Symposium (NDSS). 2018.
- [26] S. Bortzmeyer. DNS Query Name Minimisation to Improve Privacy. RFC 7816. IETF, Mar. 2016. URL: http://tools.ietf.org/rfc/rfc7816.txt.
- [27] L. Bosetti and K. Walker. "Perspectives of UK Vice-Chancellors on Leading Universities in a Knowledge-Based Economy". In: *Higher Education Quarterly* 64.1 (2010).
- [28] R. Braden. Requirements for Internet Hosts Application and Support. RFC 1123. IETF, Oct. 1989. URL: http://tools.ietf.org/rfc/rfc1123.txt.
- [29] Brightspace.com. Using a Custom URL to access Brightspace. Aug. 30, 2022. URL: https://documentation.brightspace.com/EN/le/hosting_in_cloud/using_ custom_URL_site_access.htm (visited on 08/30/2022).
- [30] I. Brodnig. Übermacht im Netz. Warum wir für ein gerechtes Internet kämpfen müssen. Brandstätter, 2019. ISBN: 978-3710603662.
- [31] E. A. Buchanan and E. E. Hvizdak. "Online survey tools: Ethical and methodological concerns of human research ethics committees". In: *Journal of empirical research on human research ethics* 4.2 (2009).
- [32] A. Büchner. Moodle 3 Administration. Packt Publishing Ltd., 2016. ISBN: 978-1783289714.
- [33] M. Burgess and K. Koymans. "Master Education Programmes in Network and System Administration". In: Proc. of the USENIX Large Installation System Administration Conference (LISA). 2007.
- [34] R. Bush. Delegation of IP6.ARPA. RFC 3152. IETF, Aug. 2001. URL: http://tools. ietf.org/rfc/rfc3152.txt.
- [35] R. Bush, D. Karrenberg, M. Kosters, and R. Plzak. Root Name Server Operational Requirements. RFC 2870. IETF, June 2000. URL: http://tools.ietf.org/rfc/rfc2870. txt.
- [36] M. Calder, X. Fan, Z. Hu, E. Katz-Bassett, J. Heidemann, and R. Govindan. "Mapping the Expansion of Google's Serving Infrastructure". In: Proc. of the Internet Measurement Conference (IMC). 2013.
- [37] Campaign for Accountability. Google Academics Inc. July 11, 2017. URL: https: //www.techtransparencyproject.org/articles/google-academics-inc (visited on 04/13/2021).
- [38] Campaign for Accountability. Google's Academic Influence in Europe. Mar. 15, 2018. URL: https://www.techtransparencyproject.org/articles/googlesacademic-influence-in-europe (visited on 04/13/2021).
- [39] Carnegie Classification of Institutions of Higher Education. R1 Doctoral Universities. URL: https://carnegieclassifications.iu.edu/lookup/srp.php?clq= %7B%22basic2005_ids%22%3A%2215%22%7D (visited on 04/06/2021).
- [40] Carnegie Classification of Institutions of Higher Education. R2 Doctoral Universities. URL: https://carnegieclassifications.iu.edu/lookup/srp.php?clq= %7B%22basic2005_ids%22%3A%2216%22%7D (visited on 04/06/2021).
- [41] S. Cheshire and M. Krochmal. DNS-Based Service Discovery. RFC 6763. IETF, Feb. 2013. URL: http://tools.ietf.org/rfc/rfc6763.txt.
- [42] A. A. Chien. "Cracks in Open Collaboration in Universities". In: Communications of the ACM 63.1 (2019).
- [43] Christian Füller. Open-Source-Software an Universitäten: Angst vor Microsoft. June 5, 2020. URL: https://taz.de/Open-Source-Software-an-Universitaeten/ !5686650/ (visited on 06/05/2020).
- [44] W. Christl and S. Spiekermann. Networks of Control. A Report on Corporate Surveillance, Digital Tracking, Big Data & Privacy. Facultas, 2016. ISBN: 978-3708914732.
- [45] L. Clarke, O. Williams, and K. Swindells. How Google quietly funds Europe's leading tech policy institutes. July 30, 2021. URL: https://www.newstatesman.

 $\rm com/business/sectors/2021/07/how-google-quietly-funds-europe-s-leading-tech-policy-institutes (visited on 08/30/2021).$

- [46] S. Coghlan, T. Miller, and J. Paterson. "Good proctor or "Big Brother"? AI Ethics and Online Exam Supervision Technologies". In: *Philosophy & Technology* (2021).
- [47] S. Cohney, R. Teixeira, A. Kohlbrenner, A. Narayanan, M. Kshirsagar, Y. Shvartzshnaider, and M. Sanfilippo. "Virtual Classrooms and Real Harms:: Remote Learning at U.S. Universities". In: Proc. of the Symposium On Usable Privacy and Security (SOUPS). 2021.
- [48] D. Crocker, T. Hansen, and M. Kucherawy. DomainKeys Identified Mail (DKIM) Signatures. RFC 6376. IETF, Sept. 2011. URL: http://tools.ietf.org/rfc/rfc6376. txt.
- [49] D. H. Hansson (hey.com). Why we're leaving the cloud. Oct. 19, 2022. URL: https://world.hey.com/dhh/why-we-re-leaving-the-cloud-654b47e0 (visited on 11/21/2022).
- [50] A. Dabrowski, G. Merzdovnik, J. Ullrich, G. Sendera, and E. Weippl. "Measuring Cookies and Web Privacy in a Post-GDPR World". In: Proc. of the Passive and Active Measurement Conference (PAM). 2019.
- [51] E. G. Dada, J. S. Bassi, H. Chiroma, A. O. Adetunmbi, O. E. Ajibuwa, et al. "Machine Learning for E-mail Spam Filtering: Review, Techniques and Trends". In: *Heliyon* 5.6 (2019).
- [52] P. Dave and J. Dastin. Google told its scientists to 'strike a positive tone' in AI research - documents. Dec. 23, 2020. URL: https://www.reuters.com/article/usalphabet-google-research-focus-idUSKBN28X1CB (visited on 04/15/2021).
- [53] S. Deering and R. Hinden. Internet Protocol, Version 6 (IPv6) Specification. RFC 8200. IETF, July 2017. URL: http://tools.ietf.org/rfc/rfc8200.txt.
- [54] P. J. DiMaggio and W. W. Powell. "The Iron Cage Revisited: Institutional Isomorphism and Collective Rationality in Organizational Fields". In: American Sociological Review (1983).
- [55] D. Dittrich and E. Kenneally. The Menlo Report: Ethical Principles Guiding Information and Communication Technology Research. Tech. rep. U.S. Department of Homeland Security, Aug. 2012. URL: https://www.dhs.gov/sites/default/ files/publications/CSD-MenloPrinciplesCORE-20120803_1.pdf.
- [56] T. V. Doan, R. van Rijswijk-Deij, O. Hohlfeld, and V. Bajpai. An Empirical View on Consolidation of the Web". In: ACM Transactions on Internet Technology 22.3 (2022).
- [57] R. Droms. Dynamic Host Configuration Protocol. RFC 2131. IETF, Mar. 1997. URL: http://tools.ietf.org/rfc/rfc2131.txt.
- [58] H. Eidnes, G. d. Groot, and P. Vixie. Classless IN-ADDR.ARPA delegation. RFC 2317. IETF, Mar. 1998. URL: http://tools.ietf.org/rfc/rfc2317.txt.
- [59] P. Emami-Naeini, T. Francisco, T. Kohno, and F. Roesner. "Understanding Privacy Attitudes and Concerns Towards Remote Communications During the COVID-19 Pandemic". In: Proc. of the Symposium On Usable Privacy and Security (SOUPS). 2021.
- [60] M. Eurich, A. Giessmann, T. Mettler, and K. Stanoevska-Slabeva. "Revenue Streams of Cloud-based Platforms: Current State and Future Directions". In: Proc. of the Americas Conference on Information Systems (AMCIS). 2011.
- [61] Farsight Inc. Farsight Security Information Exchange (SIE). URL: https://www. farsightsecurity.com/solutions/security-information-exchange/.
- [62] A. Feldmann, O. Gasser, F. Lichtblau, E. Pujol, I. Poese, C. Dietzel, D. Wagner, M. Wichtlhuber, J. Tapiador, N. Vallina-Rodriguez, O. Hohlfeld, and G. Smaragdakis. "The Lockdown Effect: Implications of the COVID-19 Pandemic on Internet Traffic". In: Proc. of the Internet Measurement Conference (IMC). 2020.
- [63] C. Fenollosa. After self-hosting my email for twenty-three years I have thrown in the towel. The oligopoly has won. Sept. 4, 2022. URL: https://cfenollosa.com/ blog/after-self-hosting-my-email-for-twenty-three-years-i-have-thrownin-the-towel-the-oligopoly-has-won.html (visited on 11/21/2022).
- [64] T. Fiebig and D. Aschenbrenner. "13 propositions on an internet for a" burning world". In: Proceedings of the ACM SIGCOMM Joint Workshops on Technologies, Applications, and Uses of a Responsible Internet and Building Greener Internet. 2022.
- [65] R. Fielding, M. Nottingham, and J. Reschke. HTTP Semantics. RFC 9110. IETF, June 2022. URL: http://tools.ietf.org/fc/rfc9110.txt.
- [66] H. Gilbert and T. Mobley. "Breaking up with CONTENTdm: Why and how one institution took the leap to open source". In: Code4Lib Journal 20 (2013).
- [67] J. Goo, R. Kishore, K. Nam, H. R. Rao, and Y. Song. "An investigation of factors that influence the duration of IT outsourcing relationships". In: *Decision* support systems 42.4 (2007).
- [68] Google. Prevent mail to Gmail users from being blocked or sent to spam. URL: https://support.google.com/mail/answer/81126 (visited on 03/21/2021).
- [69] Grapperhaus, F.B.J and Ollongren, K.H. Verificatie op de uitvoering van het overeengekomen verbeterplan met Microsoft. July 1, 2019. URL: https://www. tweedekamer.nl/kamerstukken/brieven_regering/detail?id=2019Z13829& did=2019D28465 (visited on 07/21/2021).
- [70] S. Gürses and J. van Hoboken. "Privacy after the Agile Turn". In: *The Cambridge Handbook of Consumer Privacy*. Cambridge Law Handbooks. Cambridge University Press, 2018.

- [71] G. Hager and G. Wellein. Introduction to High Performance Computing for Scientists and Engineers. CRC Press, 2010. ISBN: 978-1439811924.
- [72] T. Haiduwa, M. N. Ntinda, V. Hasheela-Mufeti, and E. N. Ngololo. "Integrating complementary learning tools in Moodle as a response to the COVID-19 pandemic: A survey of lecturers' and students' experiences and perceptions". In: Teaching and Learning with Digital Technologies in Higher Education Institutions in Africa. 2022.
- [73] K.-C. Hamborg, M. Brummerloh, M. Gieseking, and J. Wegner. Befunde zur Akzeptanz des Lernmanagement-Systems Stud. IP an der Universität Osnabrück. Tech. rep. Universität Osnabrück, 2014.
- [74] K. Harrenstien, M. Stahl, and E. Feinler. Hostname Server. RFC 953. IETF, Oct. 1985. URL: http://tools.ietf.org/rfc/rfc0953.txt.
- [75] R. Hasan and M. Fritz. "Understanding Utility and Privacy of Demographic Data in Education Technology by Causal Analysis and Adversarial-Censoring". In: Proc. of the Privacy Enhancing Technologies Symposium (PETS). 2022.
- [76] M. Henze, M. P. Sanford, and O. Hohlfeld. "Veiled in Clouds? Assessing the Prevalence of Cloud Computing in the Email Landscape". In: Proc. of the Network Traffic Measurement and Analysis Conference (TMA). 2017.
- [77] G. Ho, A. Sharma, M. Javed, V. Paxson, and D. Wagner. "Detecting Credential Spearphishing in Enterprise Settings". In: Proc. of the 26th USENIX Security Symposium (USENIX Security). 2017.
- [78] P. Hoffman, A. Sullivan, and K. Fujiwara. DNS Terminology. RFC 8499. IETF, Jan. 2019. URL: http://tools.ietf.org/rfc/rfc8499.txt.
- [79] O. Hohlfeld. "Poster: Operating a DNS-based Active Internet Observatory". In: Proc. of the 2018 ACM SIGCOMM Conference (SIGCOMM). 2018.
- [80] F. Holzbauer, J. Ullrich, M. Lindorfer, and T. Fiebig. "Not that Simple: Email Delivery in the 21st Century". In: USENIX Annual Technical Conference (ATC). 2022.
- [81] R. Housley, J. Curran, G. Huston, and D. Conrad. The Internet Numbers Registry System. RFC 7020. IETF, Aug. 2013. URL: http://tools.ietf.org/rfc/rfc7020.txt.
- [82] ichdasich. [Privacy Issue] RAW recordings are created and stored, even if the meeting isn't recorded. Apr. 22, 2020. URI: https://github.com/bigbluebutton/ bigbluebutton/issues/9202 (visited on 03/21/2021).
- [83] Q. Jacquemart, C. Pigout, and G. Urvoy-Keller. "Inferring the Deployment of Top Domains over Public Clouds using DNS Data". In: Proc. of the 2019 Network Traffic Measurement and Analysis Conference (TMA). 2019.
- [84] D. J. Jin. Digital Platforms, Imperialism and Political Culture. Routledge, 2015. ISBN: 978-1138097537.
- [85] K. M. Jones, A. Asher, A. Goben, M. R. Perry, D. Salo, K. A. Briney, and M. B. Robertshaw. ""We're being tracked at all times": Student perspectives of their privacy in relation to learning analytics in higher education". In: *Journal of the Association for Information Science and Technology* 71.9 (2020).
- [86] T. Jowitt. G-Cloud 4 Goes Live With Amazon Web Services. Oct. 30, 2013. URL: https://www.silicon.co.uk/workspace/g-cloud-4-amazon-web-services-130661 (visited on 08/30/2022).
- [87] P. Judge. Zoom makes multi-year commitment to AWS. Dec. 2, 2020. URL: https://www.datacenterdynamics.com/en/news/zoom-makes-multi-yearcommitment-aws/ (visited on 04/14/2021).
- [88] M. Karamollahi, C. Williamson, and M. Arlitt. "Zoomiversity: A Case Study of Pandemic Effects on Post-Secondary Teaching and Learning". In: Proc. of the Passive and Active Measurement Conference (PAM). 2022.
- [89] S. Kitterman. Sender Policy Framework (SPF) for Authorizing Use of Domains in Email, Version 1. RFC 7208. IETF, Apr. 2014. URL: http://tools.ietf.org/rfc/ rfc7208.txt.
- [90] J. Klensin. Simple Mail Transfer Protocol. RFC 5321. IETF, Oct. 2008. URL: http://tools.ietf.org/rfc/rfc5321.txt.
- [91] J. Komljenovic. "The Rise of Education Rentiers: Digital Platforms, Digital Data and Rents". In: Learning, Media and Technology (2021).
- [92] A. Kotal, K. P. Joshi, and A. Joshi. "ViCLOUD: Measuring Vagueness in Cloud Service Privacy Policies and Terms of Services". In: Proc. of the IEEE International Conference on Cloud Computing (CLOUD). 2020.
- [93] M. Kucherawy and E. Zwicky. Domain-based Message Authentication, Reporting, and Conformance (DMARC). RFC 7489. IETF, Mar. 2015. URL: http: //tools.ietf.org/rfc/rfc7489.txt.
- [94] P. Lal and S. S. Bharadwaj. "Understanding the impact of cloud-based services adoption on organizational flexibility: An exploratory study". In: *Journal of Enterprise Information Management* (2016).
- [95] D. Lawrence, W. Kumari, and P. Sood. Serving Stale Data to Improve DNS Resiliency. RFC 8767. IETF, Mar. 2020. URL: http://tools.ietf.org/rfc/rfc8767.txt.
- [96] E. Lewis and A. Hoenes. DNS Zone Transfer Protocol (AXFR). RFC 5936. IETF, June 2010. URL: http://tools.ietf.org/rfc/rfc5936.txt.
- [97] T. A. Limoncelli, C. J. Hogan, and S. R. Chalup. The Practice of System and Network Administration: Volume 1: DevOps and other Best Practices for Enterprise IT. Addison-Wesley, 2016. ISBN: 978-0321919168.
- [98] M. Lindh and J. Nolin. "Information We Collect: Surveillance and Privacy in the Implementation of Google Apps for Education". In: European Educational Research Journal 15.6 (2016).

- [99] S. Liu, P. Schmitt, F. Bronzino, and N. Feamster. "Characterizing Service Provider Response to the COVID-19 Pandemic in the United States". In: Proc. of the Passive and Active Measurement Conference (PAM). 2021.
- [100] M. Lottor. Domain Administrators Operations Guide. RFC 1033. IETF, Nov. 1987. URL: http://tools.ietf.org/rfc/rfc1033.txt.
- [101] A. Lutu, D. Perino, M. Bagnulo, E. Frias-Martinez, and J. Khangosstar. "A Characterization of the COVID-19 Pandemic Impact on a Mobile Network Operator Traffic". In: Proc. of the Internet Measurement Conference (IMC). 2020.
- [102] M. W. Marek and S. Skrabut. "Privacy in Educational Use of Social Media in the US". In: International Journal on E-Learning 16.3 (2017).
- [103] Mathew Finnegan. Zoom hit by investor lawsuit as security, privacy concerns mount. Apr. 9, 2020. URL: https://www.computerworld.com/article/3537193/ zoom-hit-by-investor-lawsuit-as-security-privacy-concerns-mount.html (visited on 04/09/2020).
- [104] P. Mell and T. Grance. NIST Special Publication 800-145: The NIST Definition of Cloud Computing. Tech. rep. National Institute of Standards and Technology, 2011.
- [105] Microsoft. Early wins and long-term vision: Choosing Microsoft as the platform for Cheshire policing. June 27, 2022. URL: https://customers.microsoft.com/enus/story/1520437049221456398-cheshire-police (visited on 11/21/2022).
- [106] Microsoft. Add DNS records to connect your domain. URL: https://docs.microsoft. com/en-us/microsoft-365/admin/get-help-with-domains/create-dnsrecords-at-any-dns-hosting-provider (visited on 03/21/2021).
- [107] Microsoft. DNS requirements for Skype for Business Server. URL: https://docs. microsoft.com/en-us/skypeforbusiness/plan-your-deployment/networkrequirements/dns (visited on 03/21/2021).
- [108] Microsoft. Services for Senders and ISPs. URL: https://sendersupport.olc. protection.outlook.com/pm/services.aspx (visited on 03/21/2021).
- [109] T. Mirrlees and S. Alvi. EdTech Inc: Selling, Automating and Globalizing Higher Education in the Digital Age. Routledge, 2019. ISBN: 978-0367359898.
- [110] P. Mockapetris. Domain names concepts and facilities. RFC 1034. IETF, Nov. 1987. URL: http://tools.ietf.org/rfc/rfc1034.txt.
- [111] P. Mockapetris. Domain names implementation and specification. RFC 1035. IETF, Nov. 1987. URL: http://tools.ietf.org/rfc/rfc1035.txt.
- [112] Y. Morishita and T. Jinmei. Common Misbehavior Against DNS Queries for IPv6 Addresses. RFC 4074. IETF, May 2005. URL: http://tools.ietf.org/rfc/rfc4074.txt.
- [113] B. Mullins and J. Nicas. Paying Professors: Inside Google's Academic Influence Campaign. July 14, 2017. URL: https://www.wsj.com/articles/payingprofessors-inside-googles-academic-influence-campaign-1499785286 (visited on 04/13/2021).
- [114] P. Nemitz. "Constitutional Democracy and Technology in the age of Artificial Intelligence". In: Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences 376.2133 (2018).
- [115] NetApp. Guide: Meeting Education Technology Challenges with Cloud Volumes ONTAP. 2019. URL: https://www.netapp.com/media/16150-meetingeducation-technology-challenges-with-cloud-volumes-ontap.pdf (visited on 11/21/2022).
- [116] B. Nowviskie, E. Sadler, and E. Hatcher. "Adapting an Open-Source, Scholarly Web 2.0 System for Findability in Library Collections (or: "Frankly, Vendors, We: Don't Give a Damn."" In: Library 2.0 initiatives in academic libraries (2007).
- [117] NYU-AAUP Executive Committee. Statement from the NYU-AAUP on Zoom Censorship Today. Oct. 23, 2020. URL: https://academeblog.org/2020/10/23/ statement-from-the-nyu-aaup-on-zoom-censorship-today/ (visited on 03/21/2021).
- [118] C. L. Paul. "A survey of usability practices in free/libre/open source software". In: IFIP International Conference on Open Source Systems. Springer. 2009.
- [119] A. Portier, H. Carter, and C. Lever. "Security in Plain TXT: Observing the Use of DNS TXT Records in the Wild". In: Proc. of the Conference on Detection of Intrusions and Malware & Vulnerability Assessment (DIMVA). 2019.
- [120] J. Postel. Internet Protocol. RFC 791. IETF, Sept. 1981. URL: http://tools.ietf.org/ rfc/rfc0791.txt.
- [121] L. Prehn, F. Lichtblau, and A. Feldmann. "When Wells Run Dry: The 2020 IPv4 Address Market". In: Proc. of the ACM Conference on emerging Networking EXperiments and Technologies (CoNEXT). 2020.
- [122] E. M. Redmiles, S. Kross, and M. L. Mazurek. "How Well Do My Results Generalize? Comparing Security and Privacy Survey Results from MTurk, Web, and Telephone Samples". In: Proc. of the 40th IEEE Symposium on Security & Privacy (S&P). 2019.
- [123] J. R. Reidenberg, J. Bhatia, T. D. Breaux, and T. B. Norton. "Ambiguity in Privacy Policies and the Impact of Regulation". In: *Journal of Legal Studies* 45.S2 (2016).
- [124] R. van Rijswijk-Deij, M. Jonker, A. Sperotto, and A. Pras. "A High-Performance, Scalable Infrastructure for Large-Scale Active DNS Measurements". In: IEEE Journal on Selected Areas in Communications 34.6 (2016).
- [125] A. Rogers. Google's Academic Influence Campaign: It's Complicated. July 14, 2017. URL: https://www.wired.com/story/googles-academic-influencecampaign-its-complicated/ (visited on 04/13/2021).

- [126] M. Rojszczak. "CLOUD act agreements from an EU perspective". In: Computer Law & Security Review (2020).
- [127] S. Rose and W. Wijngaards. DNAME Redirection in the DNS. RFC 6672. IETF, June 2012. URL: http://tools.ietf.org/rfc/rfc6672.txt.
- [128] R. Rosenbaum. Using the Domain Name System To Store Arbitrary String Attributes. RFC 1464. IETF, May 1993. URL: http://tools.ietf.org/rfc/rfc1464.txt.
- [129] Ruhr Uni Bochum. Bundesvertrag Einführung von Office 365 (Projekt in Arbeit). URL: https://it-services.ruhr-uni-bochum.de/services/software/ microsoft.html.de (visited on 07/07/2021).
- [130] W. R. Scott. "Approaching Adulthood: The Maturing of Institutional Theory". In: Theory and Society 37.5 (2008).
- [131] N. Selwyn. "Technology and Education—Why It's Crucial to be Critical". In: Critical Perspectives on Technology and Education. 2015.
- [132] N. Selwyn, T. Hillman, R. Eynon, G. Ferreira, J. Knox, F. Macgilchrist, and J. M. Sancho-Gil. "What's next for Ed-Tech? Critical hopes and concerns for the 2020s". In: *Learning, Media and Technology* 45.1 (2020).
- [133] Y. Shirasaki, S. Miyakawa, T. Yamasaki, and A. Takenouchi. A Model of IPv6/IPv4 Dual Stack Internet Access Service. RFC 4241. IETF, Dec. 2005. URL: http://tools.ietf.org/rfc/rfc4241.txt.
- [134] A. Siddiqui. MIT Goes on IPv4 Selling Spree. May 31, 2017. URL: https://www. internetsociety.org/blog/2017/05/mit-goes-on-ipv4-selling-spree/ (visited on 03/21/2021).
- [135] C. Simoiu, A. Zand, K. Thomas, and E. Bursztein. "Who is Targeted by Email-Based Phishing and Malware? Measuring Factors That Differentiate Risk". In: Proc. of the ACM Internet Measurement Conference (IMC). 2020.
- [136] S. Sinha. More options for learning with Google Workspace for Education. Feb. 17, 2021. URL: https://www.blog.google/outreach-initiatives/education/googleworkspace-for-education/ (visited on 08/30/2021).
- [137] N. Srnicek. Platform Capitalism. Wiley & Sons, 2017. ISBN: 978-1509504862.
- [138] F. Streibelt, J. Böttger, N. Chatzis, G. Smaragdakis, and A. Feldmann. "Exploring EDNS-Client-Subnet Adopters in your Free Time". In: Proc. of the Internet Measurement Conference (IMC). 2013.
- [139] F. Streibelt, M. Lindorfer, S. Gürses, C. H. Gañán, and T. Fiebig. "Back-to-the-Future Whois: An IP Address Attribution Service for Working with Historic Datasets". In: (Mar. 2023).
- [140] J. Surbiryala and C. Rong. "Cloud Computing: History and Overview". In: Proc. of the IEEE Cloud Summit. 2019.
- [141] C. Svensson and H.-H. Hvolby. "Establishing a Business Process Reference Model for Universities". In: Procedia Technology 5 (2012).
- [142] S. Swauger. "Software that Monitors Students During Tests Perpetuates Inequality and Violates their Privacy". In: *MIT Technology Review* (2020).
- [143] Sydney Johnson. Invasive or Informative? Educators Discuss Pros and Cons of Learning Analytics. Nov. 1, 2017. URL: https://www.edsurge.com/news/2017-11 - 01 - invasive - or - informative - educators - discuss - pros - and - cons - of learning - analytics (visited on 04/11/2021).
- [144] M. Teräs, J. Suoranta, H. Teräs, and M. Curcher. "Post-Covid-19 Education and Education Technology 'Solutionism': a Seller's Market". In: *Postdigital Science and Education* 2.3 (2020).
- [145] S. Thomson, C. Huitema, V. Ksinant, and M. Souissi. DNS Extensions to Support IP Version 6. RFC 3596. IETF, Oct. 2003. URL: http://tools.ietf.org/rfc/rfc3596. txt.
- [146] N. Tiku. Google hired Timnit Gebru to be an outspoken critic of unethical AI. Then she was fired for it. Dec. 23, 2020. URL: https://www.washingtonpost. com/technology/2020/12/23/google-timnit-gebru-ai-ethics/ (visited on 03/21/2021).
- [147] Times Higher Education. World University Rankings 2020. URL: https://w ww.timeshighereducation.com/world-university-rankings/2020/worldranking#!/page/0/length/100/sort_by/rank/sort_order/asc/cols/stats (visited on 04/06/2021).
- [148] O. van der Toorn, R. van Rijswijk-Deij, T. Fiebig, M. Lindorfer, and A. Sperotto. "TXTing 101: Finding Security Issues in the Long Tail of DNS TXT Records". In: Proc. of the International Workshop on Traffic Measurements for Cybersecurity (WTMC). 2020.
- [149] TU Eindhoven. ID first department to completely switch to Office 365. July 2, 2019. URL: https://www.cursor.tue.nl/en/news/2019/juli/week-1/id-firstdepartment-to-completely-switch-to-office-365/ (visited on 07/21/2021).
- [150] Utrecht University. Your UU-Gmail account will be converted to a Solis email account on 1 August 2020. May 12, 2019. URL: https://students.uu.nl/en/news/ your-uu-gmail-account-will-be-converted-to-a-solis-email-account-on-1august-2020 (visited on 07/21/2021).
- [151] J. Van Dijck. "Seeing the Forest for the Trees Visualizing Platformization and Its Governance". In: New Media & Society (2020).
- [152] J. van Dijck, M. de Waal, and T. Poell. The Platform Society: Public Values in a Connective World. Oxford University Press, 2018. ISBN: 978-0190889777.
- [153] M. Vermeer, J. West, A. Cuevas, S. Niu, N. Christin, M. van Eeten, T. Fiebig, C. Hernandez Ganan, and T. Moore. "SoK: A Framework for Asset Discovery:

Systematizing Advances in Network Measurements for Protecting Organizations". In: Proc. of the 6th IEEE European Symposium on Security & Privacy (EuroS&P). 2021.

- [154] G. Versteeg and H. Bouwman. "Business Architecture: A New Paradigm to Relate Business Strategy to ICT". In: Information Systems Frontiers 8.2 (2006).
- [155] P. Vixie, S. Thomson, Y. Rekhter, and J. Bound. Dynamic Updates in the Domain Name System (DNS UPDATE). RFC 2136. IETF, Apr. 1997. URL: http://tools.ietf. org/rfc/rfc2136.txt.
- [156] P. Voigt and A. von dem Bussche. The EU General Data Protection Regulation (GDPR): A Practical Guide. Springer, 2017. ISBN: 978-3319579597.
- [157] R. Waters. Best coast tech is top and looking to the clouds for growth. Apr. 8, 2016. URL: https://www.ft.com/content/3e11fdb8-5a49-11e6-9f70-badea1b336d4 (visited on 04/14/2021).
- [158] Wikipedia. List of public universities in France. URL: https://en.wikipedia.org/ wiki/List_of_public_universities_in_France (visited on 04/06/2021).
- [159] Wikipedia. List of research universities in the United States. URL: https://en. wikipedia.org/wiki/List_of_research_universities_in_the_United_States (visited on 04/06/2021).
- [160] Wikipedia. List of universities in Austria. URL: https://en.wikipedia.org/wiki/ List_of_universities_in_Austria (visited on 04/06/2021).
- [161] Wikipedia. List of universities in Germany. URL: https://en.wikipedia.org/wiki/ List_of_universities_in_Germany (visited on 04/06/2021).
- [162] Wikipedia. List of universities in Switzerland. URL: https://en.wikipedia.org/ wiki/List_of_universities_in_Switzerland (visited on 04/06/2021).
- [163] Wikipedia. List of universities in the Netherlands. URL: https://en.wikipedia. org/wiki/List_of_universities_in_the_Netherlands (visited on 04/06/2021).
- [164] Wikipedia. List of universities in the United Kingdom. URL: https://en.wiki pedia.org/wiki/List_of_universities_in_the_United_Kingdom (visited on 04/06/2021).
- [165] B. Williamson and A. Hogan. Commercialisation and Privatisation in/of Education in the Context of COVID-19. Tech. rep. Education International, 2020.
- [166] M. Wong and W. Schlitt. Sender Policy Framework (SPF) for Authorizing Use of Domains in E-Mail, Version 1. RFC 4408. IETF, Apr. 2006. URL: http://tools.ietf. org/rfc/rfc4408.txt.
- [167] Wortell. Nyenrode Business University: Connecting data sources in a unified way. Apr. 27, 2021. URL: https://customers.microsoft.com/en-au/story/ 1360699875743841506 - nyenrode - business - university - higher - educationazure-en-netherlands (visited on 07/21/2021).
- [168] E. Zeide and H. Nissenbaum. "Learner Privacy in MOOCs and Virtual Education". In: Theory and Research in Education 16.3 (2018).
- [169] Z. Zhu and T. Dumitras. "ChainSmith: Automatically Learning the Semantics of Malicious Campaigns by Mining Threat Intelligence Reports". In: Proc. of the IEEE European Symposium on Security and Privacy (EuroS&P). 2018.
- [170] Zoom.us. Getting started with associated domains. Aug. 3, 2022. URL: https: //support.zoom.us/hc/en-us/articles/203395207-Getting-started-withassociated-domains (visited on 08/30/2022).
- [171] Zoom.us. Guidelines for Vanity URL requests. Aug. 3, 2022. URL: https://support. zoom.us/hc/en-us/articles/215062646-Guidelines-for-Vanity-URL-requests (visited on 08/30/2022).
- [172] Zoom.us. Zoom On-Premise Deployment. July 12, 2022. URL: https://support. zoom.us/hc/en-us/articles/360034064852-Zoom-On-Premise-Deployment (visited on 08/30/2022).
- [173] A. Zuiderwijk and H. Spiers. "Sharing and Re-Using Open Data: A Case Study of Motivations in Astrophysics". In: International Journal of Information Management (2019).

A FARSIGHT METHODOLOGY OVERVIEW

In this section, we provide a primer on the Farisght dataset and aspects of the Domain Name System (DNS) to make our methodology accessible to a wider group of readers. Our primer assumes that the reader is familiar with the concept of IPv4/IPv6 addresses and the common analogy of DNS functioning as a form of phone book to look up IP addresses. We will first discuss DNS, common DNS terminology, and DNS resolution, i.e., how a client uses the DNS to resolve a name to a value. There we will see that DNS is not only a tool for looking up IPs, but instead a globally distributed error tolerant database used for various forms of lookups. Finally, we discuss the Farsight dataset and how it is collected.



Figure 7: Simplified view of the DNS tree, starting from the root (empty label), for www.example.com., zone.example.net. and www.example.net., with all labels enclosed with '<>'.

A.1 DNS

Here, we first introduce the basics of DNS. Please see Table 4 for an overview of DNS related terms and abbreviations we use.

The DNS is a tree-shaped hierarchy for names [110, 111] consisting of multiple labels delimited by dots [110], with the root of the tree at the end of the name, see also Figure 7. Names that reach up to the root, i.e., have a right-most label that is empty, are also called FQDNs (Fully Qualified Domain Names). The final '.' separating the empty root label is usually omitted when spelling out FQDNs [20]. One most regularly encounters names when included in a URI on the web [20], i.e., in the form of https://www.example.com/. A zone can contain names (as leaf nodes) that form RRsets consisting of the name and all resource records of one specific RRtype for that name, and a name can have multiple RRsets for different RRtypes [111]. Similarly, a zone (parent) can contain a delegation to one or multiple other 'authoritative DNS server' for a zone below itself (child), creating a zone-cut [111]. A zone is 'authoritative' for the names within itself or below if no zone-cut takes place [111]. We list and describe the most commonly used RRtypes in Table 5.

A.2 DNS Resolution

The process of retrieving the RRset for a name in the DNS is called 'resolving' that name [110]. DNS servers that recursively iterate through the DNS tree to retry a reply [110] are called 'recursors' or 'recursive resolvers.' Operating systems usually contain a so-called 'stub' resolver [112], which simply forwards DNS resolution requests to a configured recursive resolver, for example one provided by the end-users' Internet service provider, or one of the well known public resolvers, e.g., 1.1.1.1 (Cloudflare), 8.8.8.8 (Google), or 9.9.9.9 (Packet Clearing House/IBM). These then resolve a requested name for a given RRtype (together: query) for the client and return the answer, i.e., the retrieved RRset [111].

Resolution. Recursion takes place by the recursive resolver asking at least one authoritative DNS servers for all zones on the path to the root for the name, starting at the root, see RFC1034 and RFC1035 [110, 111]. A recursive resolver usually contains a static 'root hint' that lists the IP addresses of the DNS servers authoritative for the root (' .'). When a recursive resolver asks an authoritative server for an RRset in a zone for which the authoritative server is not authoritative, while being authoritative for a zone which contains a delegation for a child that is closer to the requested name,

Table 4: List of common DNS terms and abbreviations. See RFC8499 for a comprehensive list and as standard reference [78].

	Abbrev.	Term	Description
A		ADDITIONAL	Additional information in a DNS response, may consists of one or multiple RRsets [111].
		ANSWER	The part of a DNS response that contains one or multiple RRsets that hold the answer to the query. Commonly only if the queried
		Anor	server is authoritative for the QNAME, or a recursive resolver [111].
		Authoritative DNS Server	An Assets whose Achiane is equal to the zone are at the apex of a zone. DNS server to which a zone is delegated, who can answer queries based on its local zone file.
В		Bailiwick	Names either below or matching a zone are 'in-bailiwick' for that zone.
		BIND notation	$The \ common \ notation \ of \ RRs \ for \ a \ zone \ in \ the \ form \ of \ < \ FQDN > < CLASS > < \ RRtype > < RDATA >. The \ syntax \ is \ more \ complex, \ but \ we \ notation \ syntax \ is \ notation \ syntax \ syntax \ is \ notation \ syntax \ sy$
_			will use this most simple form throughout the paper.
С		Cache	A local temporary storage on recursive resolvers populated with earlier retrieved RKsets whose TTL has not yet expired [8, 111].
		Cache-Hit	The process of committing retrieved exists to a cache, but also serving alswers from this cache.
		Cache-Miss	A query for which a recursive resolver is unable to provide an answer from its cache, and has to perform recursion instead.
		Child	A zone that has been delegated by a parent, i.e., a zone that is deeper in the tree than its parent.
		CLASS	The DNS class. This is essentially always IN for Internet [111], even though other classes (CH for Chaos [2], HS for Hesiod [2],
п		Delegation	NUNE [155], and ANY [111]) do exist.
υ	DNS	Domain Name System	A system to resolve names to a variety of data points, which replaced /etc/hosts [74].
Е		Expire	A value in SOA records, instructing secondary authoritative servers how long (in seconds) they should wait after a failed zone
			transfer until they stop being authoritative for a zone.
F	FQDN	Fully Qualified Domain Name	An FQDN is a name, i.e., see below, containing all labels from the terminal label to the root (the empty label above the TLD) [111].
G		Clue	Hence, all FQDINS are names, but not all names are FQDINS. A and AAAA Resets send along with NS that are in-balliwick for a delegated zone by the authoritative NS for the parent in response to
Ű		Giue	a recursive resolver trying to resolve an ame in or below the child zone, to enable said recursive resolver to reach the in-bailiwick
			NS, as their authoritative A and AAAA records would have to be provided by themselves [17].
N		Name	A '.'-delimited set of labels, ordered by the distance to the root of the DNS tree from left (greatest) to right (smallest).
	NIC	Negative response caching TTL	Value provided in SOA records that instructs a recursive resolver on how long it should cache the non-existence of records [8].
р	IND	Parent	A zone which is above a child in the DNS biotarchy that delegates the child by reporting the NS authoritative for the child zone
•		Primary	The authoritative server of a zone that holds the primary copy of the zone file and distributes it to secondaries via zone-transfers.
Q	QNAME	Query Name	The FQDN in a DNS query.
		Query	A DNS request either from a stub to a recursive resolver or from a recursive resolver to an authoritative server.
р	DDATA	QUESTION Response Data	The part of a DNS query or response that contains the combination of RRtype and RRname which was the initial query.
ĸ	KDAIA	Response Data	The typed value associated with an KRiype for an KRiame. See Resource Record
		Recursion	Process of traversing the DNS hierarchy to retrieve the answer to a query from a NS that is authoritative for that zone.
		Recursive Resolver	A DNS server performing recursion for clients.
		Recursive DNS Server	See Recursive Resolver.
		Refresh Time Reply	A held in SOA records that communicates the frequency of zone transfers to secondary authoritative servers of a zone. The DNS packet server in response to a query.
		Request	See Query.
		Resolution	See Recursion.
		Resolve	See Recursion.
		Resolver	See Recursive Resolver.
		Retry	A value in SOA records, instructing secondary authoritative servers how long (in seconds) they should wait after a failed zone
		,	transfer to initiate a new transfer attempt.
		Root	The top label of the DNS tree, i.e., the <i>root</i> of the tree.
	DD	Root-Server	DNS servers that are authoritative for names at the root, i.e., 'LDs [35].
	RRname	Resource Record Name	The FODM associated with a specific RR
	RRset	Resource Record Set	The set of all RR that have the same RRtype and RRname.
	RRtype	Resource Record Type	The type of a RR, see Table 5.
S		Serial	An identifier for the version of a zone in the SOA record. This is an integer, and <i>must</i> be monotonously increasing. Commonly, the
			syntax for this value is 111 MMDD00 for the first serial created on a day, continuously incremented over the day. This seeing the same serial on two authoritative servers for one zone means that the zone files should be in synce and no zone transfer is needed
		Secondary	A server that is authoritative for a zone, but receives the zone wia a zone-fransfer from a primary.
	SLD	Second Level Domain	A domain that is a child of a TLD.
		Stub	See Stub Resolver.
		Stub Resolver Subdomain	A DNS server that does not perform recursion but instead just forwards queries it receives to a recursive resolver.
т	TLD	Top Level Domain	Domains beiden of the root.
	TTL	Time-to-Live	The time a received RRset may be used to answer queries for its RRname and RRtype from the cache.
Z		Zone	A zone represents a part of the DNS tree and contains a collection of RRsets for which it is authoritative. This means that the names
			ot these KKsets are in balliwick of the zone, and authority for these names has not been delegated elsewhere, i.e., the zone contains the final-hance authoritative answer for queries for these names. For references to come access are RECRARD, Section 7, 791
		Zone file	the initial-netice automative-answer for queries to these names, for ferterices to corner cases, see $RC_{0,0,0}$, section / [75]. While novadays database backed DNS servers are more common. Zones used to be stored in a single set file in RIND notation
			Hence, this name is still being used for the data store of zone data [100].
		Zone-Cut	A zone-cut is the point in an FQDN where the authority is delegated from one zone to the other.
		Zone Transfer	Traditionally, there were primary and secondary authoritative servers. Changes would be made on the primary and then distributed
			to secondaries via zone transfers. Using only DNS, this can be done using an AXFR KRype query, to which the primary replies (to authorized secondaries) with a copy of its zone file i.e. all RRsets of a zone are within the ANSWER section. Alternatively, an IYEE
			can be used, where the secondary provides the primary with its current SOA serial, and the primary then only sends the difference
			between the zone file with the primary's serial and the one with the secondary's serial [96].

Proceedings on Privacy Enhancing Technologies 2023(2)



Figure 8: Simplified overview of DNS resolution for IN A www.example.com.: (1) The resolver asks the root-servers for www.example.com., (2) The resolver is redirected to the authoritative NS for com., (3) The resolver asks the com. NS for www.example.com., (4) The resolver is redirected to the authoritative NS for example.com., (5) The resolver asks the example.com. NS for www.example.com., (6) The resolver receives the A RRset for www.example.com. in response.

it returns the name of that zone and the responsible authoritative DNS servers.⁹ For example, if a recursive resolver has to resolve the IPv4 address for www.example.com., it will first ask the rootservers for A www.example.com.. As these are not authoritative for example.com., they will reply with the RRset containing the NS for com.. The recursive resolver will then ask these for www.example.com., which will reply with the RRset containing the NS authoritative for example.com. Finally, the recursive resolve can then ask the authoritative servers for example.com. for www.example.com. As these are authoritative for the zone, they will return the requested rdata, e.g., the IPv4 address of www.example.com., if www.example.com. is not further delegated and an RRset for the requested RRtype at www.example.com. exists. Names either below or matching a zone are 'in-bailiwick' for that zone [78]. Please see Figure 8 for an overview of this process.

Caching. Recursive resolution is a comparably long and latency dependent process. As such, recursive resolvers employ caching to improve their response time. If a resolver successfully retrieved an RRset, it will put this RRset into its local cache. If a subsequent request from a stub resolver for that RRset reaches the recursive resolver, the resolver will not perform recursion, but instead reply from cache. The amount of time an RRset remains in a recursive resolver's cache depends on the configured Time-To-Live (TTL) of that RRset.¹⁰ If a request can be answered from a recursive resolver's cache, it is called a cache-hit, while cases where the RRset is not part of the local cache are called cache-misses.

A.3 The Farsight Dataset

The Farsight Security Information Exchange (Farsight SIE) dataset, is a dataset of DNS requests shared by Farsight Inc. (now Domain-Tools) to allow researchers and security professionals to handle digital threats and study the Internet [61]. In the past, it has been used to characterize general use of the Internet, characterize malware, or study specific security vulnerabilities. Here, we describe how this dataset is being collected, and what data it contains.

Collection. The dataset is being collected on collaborating recursive resolvers (called 'sensors') around the world. Each sensor reports all cache-misses along with the retrieved data to Farsight. Farsight then further aggregates this data, so that individual sensors can not be inferred. Please see Figure 9 for an overview. By ensuring that neither individual clients nor specific sensors can be inferred from the aggregate data view, Farsight prevents the exposure of personally identifiable information. More broadly speaking, from the dataset collected by Farsight it is possible to infer that a specific name exists, but not *which* user requested it, or even *where* a specific user requested that name. Furthermore, due to the use of cache-misses, the exact popularity of names cannot be inferred.

Dataset Structure. We use a historic dataset of all cache misses observed by participating DNS resolvers spanning from January 1, 2015 to Oct 31, 2022 in per-month slices. A unique cache miss is defined by the tuple of <rrname, rrtype, bailiwick, rdata>. See Table 6 for an overview of the dataset, and the description below for a detailed explanation.

- count: The aggregate number of times cache misses for this unique tuple of rrname, rrtype, bailiwick, and rdata (sorted) have been observed by Farsight sensors. There is no distinction between one sensor having seen a tuple 10 times or 10 sensors having each seen it once. Furthermore, the count depends on the TTL of the RRset, as a higher TTL leads to less cache misses. Hence, the count only provides an indication of request frequency, which is why we do not rely on it in our study. Instead, we focus our analysis on establishing a lower bound on the use of cloud resources, or, in more practical terms, we determine *if* an organization uses specific cloud resources, but not *how much* they use it.
- time_first: The first time in a month the unique tuple of rrname, rrtype, bailiwick, and rdata (sorted) was seen.
- time_last: The last time in a month the unique tuple of rrname, rrtype, bailiwick, and rdata (sorted) was seen.
- rrname: The name for which the rrset has been requested.
- rrtype: The rrtype of the requested rrset.
- bailiwick: The zone from which a reply to a query was received, e.g., considering the example from Figure 8, the bailiwick would be example.com. for example.com. IN A 198.51.100.142 received from a.iana-servers.net., and com. for example.com. IN NS a.iana-servers.net. received from a.gtld-servers.net..
- rdata: A list of the answers received. If only one resource record is part of the RRset, this is a list with one element. If there are more resource records for the requested rrtype, the list contains multiple sorted elements.

⁹We are skipping the concepts of QNAME minimization [26], NS hardening, and GLUE records [100] for simplification here.

¹⁰We are skipping the concept of using stale caches for resiliency here [95].

Table 5: List of common RRtypes. Most RRtypes can be listed multiple times for the same name, i.e., there can be an RRset with one RRname, one RRtype, and multiple rdata. Exceptions are noted below.

RRtype	Description	Example
A	Provides an IPv4 address for a name [111].	www.example.com. IN A 198.51.100.11
AAAA	Provides an IPv6 address for a name [145].	www.example.com. IN AAAA 2001:db8:44c:d1a::2
CNAME	References another name, whose corresponding values for the requested RRtype should be used. May not be combined with other RRtypes for this name and only occurs once. If www.example.com. IN CNAME test.example.net. ex-	www.example.com. IN CNAME test.example.net.
	ists, as well as test.example.net. IN A 198.51.100.11, a recursive re- solver resolving the A record for www.example.com. will receive IN CNAME test example net as the resonse when guerving the authoritative server	
	for example.com.; It will then subsequently query test.example.net. for its A record. CNAMEs can point to arbitrary FQDNs. If the NS is authoritative for	
DNAME	the zone of the CNAME as well as the target, it should include the A record of the target in the ADDTIONAL section of the reply. [111]	example com IN DNAME example net
MX	a zone [127]. Communicates the names of the mail servers responsible for handling inbound	example.com. IN MX 10 mail.example.net.
	mails for a zone. May occur multiple times and has a preference for each record with the lowest value being most preferred. MX can point to arbitrary FQDNs [111].	
NS	Each zone must have at least one, by policy usually at least two for TLDs and SLDs, NS records identifying the authoritative DNS servers for this zone. These have to be set in the zone's apex as well as in the parent (creating the delegation). If the appeare used in NS records of a zone are within that zone the parent must	example.com. IN NS ns0.example.com.
	also provide A and/or AAAA records for these names. Even though the parent is not authoritative, it will send these RRsets as 'ADDITIONAL' information along with QNAMES in or below example.com. so that recursive resolvers have a	
	See 'Glue' in Table 4. NS records <i>must</i> point to names that have an A or AAAA record [111]. CNAMEs are not allowed in NS records [17, 111].	
PTR	PTR or 'pointer' records point to another part of the DNS tree. They are com- monly used as 'reverse pointers' for IPv4 and IPv6 addresses mapping these to	11.100.51.198.in-addr.arpa. IN PTR web01.example.com.
	FQDNs <i>independent</i> of forward lookups [4]. For each IPv4 address, there is a representation below in-addr.arpa. [58, 111], and for each IPv6 address one under ip6.arpa. [34], but the existence of a PTR pointing to, e.g., web01.example.com.	
SOA	does not imply or require the existence of a corresponding A or AAAA record. The 'Start of Authority' record contains metadata for a domain. It contains, in relative fortune of the second sec	example.com. IN SOA ns0.example.com. hostmaster.example.com.
	order, the first authoritative NS of a zone, the email address of the responsible operator(s), with the first dot having to be replaced with an '@', the serial of the zone, an thereafter the refresh, retry, and expire timeouts, followed by the protection exponent TTI [111]	2022111701 28800 7200 604800 86400
TXT	This record type is a free text record, which can contain an arbitrary set of up to 2 ¹⁶ characters [128]. In practice, this record type is used for a variety of applications [41].	example.com. IN TXT "Hello world!"
Uses of TXT recor	ds:	
SDE	SPF the Sender Policy Framework allows domain owners to specify the bosts	example com IN TYT "v=spf1 a·mail example com
0.1	that are allowed to originate emails for a domain. This can be done via a set of mechanics, including specifying names (where the addresses referenced in A and AAAA records are then allowed to send emails), IPv4/IPv6 addresses and network prefixes, allowing the MXes of a domain, and including the SPF settings of another domain. Furthermore, a fall-back policy can be specified. While it	<pre>mx ip4:198.51.100.11 ip6:2001:db8:44c:d1a::2 include:test.example.comall"</pre>
DMARC	used to have its own RRtype [166], it now uses TXT records [89]. DMARC, Domain Message Authentication Reporting, uses a TXT record to signal	_dmarc.example.com. IN TXT "v=DMARC1; p=reject;
	mail servers receiving emails from a domain how to treat emails that do neither validate according to the SPF of DKIM settings of a domain. It also clarifies how	rua=mailto:admin@example.com"
	matching between the FROM header of a message and the DKIM/SPF policy has to take place. Furthermore, it allows operators to specify email addresses at which they want to receive reports about the number of accented and rejected	
	emails for their domain from remote servers, including the rejection reason. This can be done as aggregate reports (rua=mailto:) or full forensic reports	
	(ruf=mailto:). Please note that this is a simplified description of DMARC, for further information, please see the corresponding RFCs [93].	
DKIM	DKIM, Domain Key Identified Mail, is an email security mechanism where mail server sign outbound mail for a domain using a private key, also providing a selector identifying the used key. The public key is then placed in the DNS under <selector>. domainkey.example.com[43]</selector>	<pre>key01domainkey.example.com. IN TXT "v=DKIM1; t=s; h=sha256; p=MIIBI "</pre>
Zoom Auth.		example.com. IN TXT "ZOOM_verify_5SD"
MS Auth.	By placing a provided token at an RRname within a zone, one can proof	example.com. IN TXT "MS=ms30654321"
Amazon SES Auth.	services, including authorizing TLS certificates [16]. This list is not exhaustive.	example.com. IN TXT google-site-verification=gzrk"
Adobe Auth.		example.com. IN TXT "adobe-idp-site-verification=6c3"

Table 6: List of data fields in the Farsight SIE dataset. In our study, we work with monthly slices of the dataset. For an overview of common rrtype and rdata values, please see Table 5, and for an overview of DNS terminology, see Table 4.

Field	Description	Example
count	<pre># of times the unique tuple <rrname, bailiwick,="" rdata="" rrtype,=""> has been seen.</rrname,></pre>	12
time_first	Unix timestamp of the first occurrence of the unique tuple during the data slice.	1422251650
time_last	Unix timestamp of the last occurrence of the unique tuple during the data slice.	1422251650
rrname	Requested name in the DNS.	www.example.com
rrtype	Requested RRtype of the query.	A
bailiwick	Zone authoritative for the reply.	example.com
rdata	List of all responses received in a single query.	["93.184.216.34"]

Visibility of the Dataset. The data collection approach of the Farsight dataset also explains why it is better suited for our research question than actively collected DNS datasets. Compared to actively collected DNS datasets, for example OpenINTEL [79, 124], the Farsight dataset enables us to look deeper into the DNS tree of individual organizations, i.e., we will observe a specific name, e.g., random.subdomain.service.example.com as soon as that record is requested at least once by a system using a recursive resolver that acts as a sensor for Farsight. In turn, active measurement platforms use a known list of domains retrieved from the zone files of top-level domains and will regularly request specific records below said domain. Using example.com. here, this might be the NS, MX, A, and AAAA record for example.com. Furthermore, they may request the A and AAAA records for www.example.com and a restricted set of well-known names. Hence, datasets collected by these platforms will not contain data on names like lms.students.example.com, because the subdomain students.example.com is not listed in the authoritative zone file of the top-level-domain.

Contrary to that, the Farsight SIE dataset will contain data on lms.students.example.com, if at least one client behind a sensor did request that name during the measurement period, and data was successfully returned. At the same time, this also means that we miss specific names or institutions if the corresponding DNS resources have not been requested by a client behind a sensor contributing to the dataset. However, this does not pose a problem in the context of our objective to identify a *lower bound* of cloud usage in universities, as those records we *do* observe are certainly there. Also, as we discuss in §3.3, our measurements are not polluted by private cloud usage (e.g., Gmail) on university campuses.

B ONLINE DOMAIN-LIST & ARTIFACT

Hosted on GitHub (Microsoft).

Machine readable domain-list:

https://github.com/headsinthecloud/universities Artifact to measure cloud-usage for individual universities: https://github.com/headsinthecloud/cloudheadschecker Self-Hosted.

Machine readable domain-list:

https://git.aperture-labs.org/Cloudheads/universities Artifact to measure cloud-usage for individual universities: https://git.aperture-labs.org/Cloudheads/cloudheadschecker



Figure 9: The collection methodology for the Farsight dataset, following https://www.farsightsecurity.com/ technical/passive-dns/passive-dns-faq/. The Farsight dataset collects cache-misses encountered by recursive resolvers participating as sensors. Critical PII (DNS request times and timings, frequency of lookups and individual clients' IP addresses) are not included in the dataset, as they are not part of what is collected from cache-misses. Furthermore, additional filtering takes places for well-known privacy risks and patterns. All data produced by sensors is aggregated to the count of occurrences of specific cachemisses based on the unique touple of <rrname, rrtype, bailiwick, rdata>. Furthermore, additional filtering takes place to remove potential PII from the dataset, as for example, DNS queries and replies for IP-in-DNS tunneling.

C INVESTIGATED INSTITUTIONS

C.1 Austria

- 1) Akademie der Bildenden Künste Wien:
- akbild.ac.at 2) Anton Bruckner Privatuniversistät:
- bruckneruni.at
- Bertha von Suttner Privatuniversität: suttneruni.at
- 4) Central European University:
- ceu.edu
- 5) Danube Private University: dp-uni.ac.at
- 6) Graz University of Technology:
- tugraz.at
- 7) Jam Music Lab Privatuniversität für Jazz und Popularmusik Wien: jammusiclab.com
- 8) Johannes Kepler Universität Linz: jku.at
- 9) Karl Landsteiner Privatuniversität für Gedundheitswissenschaften: kl.ac.at

10) Katholische Privatuniversistät Linz: ku-linz.at

Proceedings on Privacy Enhancing Technologies 2023(2)

Fiebig et al.

11) Kunst Universität Graz: kug.ac.at 12) Kunst Universität Linz: ufg.ac.at 13) Medizinische Universität Graz: medunigraz.at 14) Medizinische Universität Innsbruck: i-med.ac.at 15) Medizinische Universität Wien: meduniwien.ac.at 16) Modul University Vienna: modul.ac.at 17) Montanuniversität Leoben: unileoben.ac.at 18) Paracelsus Medizinische Privatuniversität: pmu.ac.at 19) Privatuniversität Schloss Seeburg: uni-seeburg.at 20) The Tyrolean Private University: umit.at 21) University of Graz: uni-graz.at 22) University of Innsbruck: uibk.ac.at 23) University of Klagenfurt: uni-klu.ac.at 24) University of Vienna: univie.ac.at 25) Universität Mozarteum Salzburg: moz.ac.at 26) Universität Salzburg: uni-salzburg.at 27) Universität für Bodenkultur Wien: boku.ac.at 28) Universität für Musik und Darstellende Kunst Wien: mdw.ac.at 29) Universität für Weiterbildung Krems: donau-uni.ac.at 30) Universität für angewandte Kunst Wien: dieangewandte.at 31) Veterinärmedizinische Universität Wien: vetmeduni.ac.at 32) Vienna University of Economics and Business: wu.ac.at 33) Vienna University of Technology: tuwien.ac.at 34) Webster Vienna Private University: webster.ac.at

C.2 France

1) Institut Catholique de Lyon: ucly.fr univ-catholyon.fr 2) Institut Catholique de Paris: icp.fr 3) Institut Catholique de Toulouse: ict-toulouse.fr 4) Institut National Universitaire Champollion: univ-ifc.fr 5) La Rochelle Université: univ-larochelle.fr 6) Sorbonne Université: paris-sorbonne.fr sorbonne-universite.fr univ-paris4.fr 7) Universität Paris 8 Vincennes-Saint-Denis: univ-paris8.fr 8) Universität Paris III Sorbonne Nouvelle: univ-paris3.fr 9) Universität des Oberelsass: uha.fr 10) Université Blaise Pascal Clermont-Ferrand II: univ-bpclermont.fr 11) Université Bordeaux Montaigne: u-bordeaux-montaigne.fr

12) Université Bretagne Sud: univ-ubs.fr 13) Université Catholique de Lille: univ-catholille.fr 14) Université Catholique de l'Ouest: uco.fr 15) Université Claude-Bernard-Lyon-I: univ-lyon1.fr 16) Université François Rabelais de Tours: univ-tours.fr 17) Université Grenoble Alpes: u-grenoble3.fr ujf-grenoble.fr univ-grenoble-alpes.fr upmf-grenoble.fr 18) Université Jean-Monnet-Saint-Étienne: univ-st-etienne.fr 19) Université Jean-Moulin-Lyon-III: univ-lyon3.fr 20) Université Lille Nord de France: cue-lillenorddefrance.fr univ-lille.fr univ-lille1.fr univ-lille2.fr univ-lille3.fr univ-littoral.fr 21) Université Lumière Lyon 2: univ-lvon2.fr 22) Université Paris 1 Panthéon-Sorbonne: pantheonsorbonne.fr univ-paris1.fr 23) Université Paris 2 Panthéon-Assas: u-paris2.fr 24) Université Paris-Est Marne-la-Vallée: univ-mlv.fr 25) Université Paris-Nanterre: parisnanterre.fr u-paris10.fr univ-paris10.fr 26) Université Paris-Sud: u-psud.fr 27) Université Paul Cézanne Aix-Marseille III: univ-cezanne.f 28) Université Paul Sabatier Toulouse III: univ-tlse3.fr ups-tlse.fr 29) Université Savoie Mont Blanc: univ-savoie.fr 30) Université Savoie-Mont-Blanc: univ-smb.fr 31) Université Sorbonne Paris Nord: univ-paris12.fr u-pec.fr 32) Université Toulouse 1 Sciences Sociales: univ-tlse1.fr ut-capitole.fr 33) Université ToulouseJean Jaurès: univ-tlse2.fr 34) Université d'Angers: univ-angers.fr 35) Université d'Artois: univ-artois.fr 36) Université d'Avignon et des Pays de Vaucluse: univ-avignon.fr 37) Université d'Orléans: univ-orleans.fr 38) Université d'Évry: univ-evry.fr 39) Université de Bordeaux: u-bordeaux.fr u-bordeaux1.fr u-bordeaux4.fr 40) Université de Bourgogne: u-bourgogne.fr 41) Université de Caen Basse-Normandie:

unicaen.fr

Proceedings on Privacy Enhancing Technologies 2023(2)

42) Université de Cergy-Pontoise: cyu.fr u-cergy.fr 43) Université de Franche-Comté: univ-fcomte.fr 44) Université de Haute Bretagne Rennes 2: univ-rennes2.fr 45) Université de La Réunion: univ-reunion.fr 46) Université de Limoges: unilim.fr 47) Université de Lorraine: univ-lorraine.fr 48) Université de Lyon: universite-lyon.fr 49) Université de Montpellier: umontpellier.fr univ-montp1.fr univ-montp2.fr univ-montp3.fr 50) Université de Nantes: univ-nantes.fr 51) Université de Nice Sophia-Antipolis: unice.fr 52) Université de Nîmes: unimes.fr 53) Université de Paris: univ-paris5.fr univ-paris7.fr univ-paris-diderot.fr u-paris.fr 54) Université de Pau et des Pays de l'Adour: univ-pau.fr 55) Université de Perpignan Via Domitia: univ-perp.fr 56) Université de Picardie Jules Verne: u-picardie.fr 57) Université de Poitiers: univ-poitiers.fr 58) Université de Provence Aix-Marseille I: univ-provence.fr 59) Université de Reims Champagne-Ardenne: univ-reims.fr 60) Université de Rennes 1: univ-rennes1.fr 61) Université de Rouen: univ-rouen.fr 62) Université de Strasbourg: u-strasbg.fr unistra.fr 63) Université de Toulon: univ-tln.fr 64) Université de Valenciennes: univ-valenciennes.fr 65) Université de Versailles-Saint-Quentin-en-Yvelines: uvsq.fr 66) Université de la Mediterranée Aix-Marseille II: univmed.fr 67) Université de la Nouvelle-Calédonie: unc.nc 68) Université de la Polynésie française: ld.fqu 69) Université de technologie de Compiègne: utc fr 70) Université des Antilles et de la Guyane: univ-ag.fr 71) Université du Havre: univ-lehavre.fr 72) Université du Maine: univ-lemans.fr 73) Université d'Aix-Marseille: univ-amu.fr 74) Université d'Auvergne Clermont-Ferrand: uca.fr u-clermont1.fr

C.3 Germany

1) Brandenburgische Technische Universität: b-tu.de 2) Europa-Universität Viadrina Frankfurt (Oder): euv-ffo.de 3) FU Berlin: fu-berlin.de 4) FernUniversität Hagen: fernuni-hagen. de 5) Friederich-Alexander Universität Erlangen: fau.de 6) HU Berlin: hu-berlin.de 7) Heinrich-Heine-Universität Düsseldorf: hhu.de 8) Jacobs University Bremen: jacobs-university.de 9) Karlsruhe Institute of Technology: kit.edu 10) Katholische Universität Eichstätt-Ingolstadt: ku.de 11) RWTH Aachen: rwth-aachen.de 12) Ruhr Universität Bochum: ruhr-uni-bochum.de 13) TU Berlin: tu-berlin.de 14) TU Braunschweig: tu-braunschweig.de 15) TU Chemnitz: tu-chemnitz.de 16) TU Clausthal: tu-clausthal.de 17) TU Darmstadt: tu-darmstadt.de 18) TU Dortmund: tu-dortmund.de 19) TU Dresden: tu-dresden.de 20) TU Freiberg: tu-freiberg.de 21) TU Hamburg: tuhh.de 22) TU Ilmenau: tu-ilmenau.de 23) TU München: tum.de 24) Universität Augsburg: uni-augsburg.de 25) Universität Bamberg: uni-bamberg.de 26) Universität Bayreuth: uni-bayreuth.de 27) Universität Bielefeld: uni-bielefeld.de 28) Universität Bonn: uni-bonn.de 29) Universität Bremen: uni-bremen.de 30) Universität Duisburg/Essen: uni-due.de 31) Universität Erfurt: uni-erfurt.de 32) Universität Flensburg: uni-flensburg.de 33) Universität Frankfurt: uni-frankfurt.de 34) Universität Freiburg: uni-freiburg.de 35) Universität Giessen: uni-giessen.de 36) Universität Greifswald: uni-greifswald.de 37) Universität Göttingen: uni-goettingen.de 38) Universität Halle (Saale): uni-halle.de 39) Universität Hamburg: uni-hamburg.de 40) Universität Hannover: uni-hannover.de 41) Universität Heidelberg: uni-heidelberg.de

42) Universität Hohenheim: uni-hohenheim.de 43) Universität Jena: uni-iena.de 44) Universität Kaiserslautern: uni-kl.de 45) Universität Kassel: uni-kassel.de 46) Universität Kiel: uni-kiel.de 47) Universität Koblenz: uni-koblenz-landau.de 48) Universität Konstanz: uni-konstanz.de 49) Universität Köln: uni-koeln.de 50) Universität Leipzig: uni-leipzig.de 51) Universität Lübeck: uni-luebeck.de 52) Universität Lüneburg: leuphana.de 53) Universität Magdeburg: ovgu.de 54) Universität Mainz: uni-mainz.de 55) Universität Mannheim: uni-mannheim.de 56) Universität Marburg: uni-marburg.de 57) Universität München: uni-muenchen.de 58) Universität Münster: uni-muenster.de 59) Universität Oldenburg: uni-oldenburg.de uol.de 60) Universität Osnabrück: uni-osnabrueck.de uos.de 61) Universität Paderborn: uni-paderborn.de 62) Universität Passau: uni-passau.de 63) Universität Regensburg: uni-regensburg.de 64) Universität Reutlingen: reutlingen-university.de 65) Universität Rostock: uni-rostock.de 66) Universität Siegen: uni-siegen.de 67) Universität Speyer: uni-speyer.de 68) Universität Stuttgart: uni-stuttgart.de 69) Universität Trier: uni-trier.de 70) Universität Tübingen: uni-tuebingen.de 71) Universität Ulm: uni-ulm.de 72) Universität Vechta: uni-vechta.de 73) Universität Weimar: uni-weimar.de 74) Universität Witten/Herdecke: uni-wh.de 75) Universität Wuppertal: uni-wuppertal.de 76) Universität Würzburg: uni-wuerzburg.de 77) Universität der Bundeswehr Hamburg: hsu-hh.de 78) Universität der Bundeswehr München: unibw.de 79) Universität der Künste Berlin: udk-berlin.de 80) Universität des Saarlandes: uni-saarland.de 81) Zeppelin University:

zu.de

C.4 Switzerland

1) EPFL: . epfl.ch 2) ETH Zürich: ethz.ch 3) FernUniversität Schweiz: fernuni.ch 4) Graduate Institute Geneva: graduateinstitute.ch 5) Universita della Svizzera italiana: usi.ch unisi.ch 6) University Basel: unibas.ch 7) University Bern: unibe.ch 8) University Fribourg: unifr.ch 9) University Geneva: unige.ch 10) University Lausanne: unil.ch idheap.ch 11) University Luzern: unilu.ch 12) University Neuchatel: unine.ch 13) University St. Gallen: unisg.ch 14) University Zürich: uzh.ch

C.5 The Netherlands

1) Erasmus Universiteit Rotterdam: eur.nl 2) Maastricht School of Management: msm.nl 3) Maastricht University: maastrichtuniversitv.nl 4) Nyenrode Business Universiteit: nyenrode.nl 5) Open Universiteit: ou.nl 6) Protestantse Theologische Universiteit: pthu.nl 7) Radboud Universiteit: ru.nl 8) Rijksuniversiteit Groningen: rug.nl 9) TIAS School for Business and Society: tias.edu 10) Technische Universiteit Delft: tudelft.nl 11) Technische Universiteit Eindhoven: tue.nl 12) Tilburg University: uvt.nl 13) Universiteit Leiden: leidenuniv.nl universiteitleiden.nl 14) Universiteit Twente: utwente.nl 15) Universiteit Utrecht: uu.nl 16) Universiteit van Amsterdam: uva.nl 17) Universiteit voor Humanistiek: uvh.nl 18) Vrije Universiteit Amsterdam: vu.nl 19) Wageningen Universiteit & Research: wur.nl

Proceedings on Privacy Enhancing Technologies 2023(2)

C.6 THE Top100 (Alphabetical)

1) Australian National University: anu.edu.au 2) Boston University: bu.edu 3) Brown University: brown.edu 4) California Institute of Technology: caltech.edu 5) Carnegie Mellon University: cmu.edu 6) Charité - Universitätsmedizin Berlin: charite.de 7) Chinese University of Hong Kong: cuhk.edu.hk 8) Columbia University: columbia.edu 9) Cornell University: cornell.edu 10) Dartmouth College: dartmouth.edu 11) Delft University of Technology: tudelft.nl 12) Duke University: duke.edu 13) ETH Zurich: ethz.ch 14) Emory University: emory.edu 15) Erasmus University Rotterdam: eur.nl 16) Georgia Institute of Technology: gatech.edu 17) Harvard University: harvard.edu 18) Heidelberg University: heidelberg.edu 19) Humboldt University of Berlin: hu-berlin.de 20) Imperial College London: imperial.ac.uk 21) Johns Hopkins University: jhu.edu 22) KU Leuven: kuleuven.be 23) Karolinska Institute: ki.se 24) King's College London: kcl.ac.uk 25) Kyoto University: kyoto-u.ac.jp 26) LMU Munich: uni-muenchen.de 27) Leiden University: universiteitleiden.nl leidenuniv.nl 28) London School of Economics and Political Science: lse.ac.uk 29) Lund University: lu.se 30) Massachusetts Institute of Technology: mit.edu 31) McGill University: mcgill.ca 32) McMaster University: mcmaster.ca 33) Michigan State University: msu edu 34) Monash University: monash.edu monash.edu.au

35) Nanyang Technological University, Singapore: ntu.edu.sg 36) National University of Singapore: nus.edu.sg 37) New York University: nyu.edu 38) Northwestern University: northwestern.edu 39) Ohio State University (Main campus): osu.edu 40) Paris Sciences et Lettres PSL Research University Paris: psl.eu 41) Peking University: pku.edu.cn 42) Penn State (Main campus): psu.edu 43) Princeton University: princeton.edu 44) Purdue University West Lafayette: purdue.edu 45) RWTH Aachen University: rwth-aachen.de 46) Seoul National University: snu.ac.kr 47) Sorbonne Université: univ-paris4.fr sorbonne-universite.fr 48) Stanford University: stanford.edu 49) Sungkyunkwan University (SKKU): skku.edu 50) Technical University of Munich: tum.de 51) The Hong Kong University of Science and Technology: ust.hk 52) The University of Chicago: uchicago.edu 53) The University of Queensland: uq.edu.au 54) The University of Tokyo: u-tokyo.ac.jp 55) Tsinghua University: tsinghua.edu.cn 56) UCL: ucl.ac.uk 57) UNSW Sydney: unsw.edu.au 58) University of Amsterdam: uva.nl 59) University of Basel: unibas.ch 60) University of Bristol: bris.ac.uk 61) University of British Columbia: ubc.ca 62) University of California, Berkeley: berkeley.edu 63) University of California, Davis: ucdavis.edu 64) University of California, Irvine: uci.edu 65) University of California, Los Angeles: ucla.edu 66) University of California, San Diego: ucsd.edu 67) University of California, Santa Barbara: ucsh edu 68) University of Cambridge: cam.ac.uk 69) University of Edinburgh: ed.ac.uk 70) University of Freiburg:

uni-freiburg.de

Fiebig et al.

71) University of Glasgow: gla.ac.uk 72) University of Groningen: rug.nl 73) University of Helsinki: helsinki.fi 74) University of Hong Kong: hku.hk 75) University of Illinois, Urbana-Champaign: illinois.edu 76) University of Manchester: manchester.ac.uk 77) University of Maryland, College Park: umd.edu 78) University of Melbourne: unimelb.edu.au 79) University of Michigan-Ann Arbor: umich.edu 80) University of Minnesota: umn.edu 81) University of Montreal: umontreal.ca 82) University of North Carolina, Chapel Hill: unc.edu 83) University of Oxford: ox.ac.uk 84) University of Pennsylvania: upenn.edu 85) University of Science and Technology of China: ustc.edu.cn 86) University of Southern California: usc.edu 87) University of Sydney: sydney.edu.au 88) University of Texas, Austin: utexas.edu 89) University of Toronto: utoronto.ca 90) University of Tübingen: uni-tuebingen.de 91) University of Warwick: warwick.ac.uk 92) University of Washington: wustl.edu 93) University of Wisconsin-Madison: wisc.edu 94) University of Zurich: uzh.ch 95) Utrecht University: uu.nl 96) Wageningen University & Research: wur.nl 97) Washington University in St Louis: uw.edu 98) Yale University: vale.edu 99) École Polytechnique: polytechnique.edu 100) École Polytechnique Fédérale de Lausanne: epfl.ch

C.7 The United Kingdom

 Abertay University: abertay.ac.uk tay.ac.uk
 Aberystwyth University: aber.ac.uk
 Anglia Ruskin University: anglia.ac.uk 4) Aston University: aston.ac.uk 5) Bangor University: bangor.ac.uk 6) Bath Spa University: bathspa.ac.uk 7) Birkbeck University of London: bbk.ac.uk birkbeck.ac.uk 8) Birmingham City University: bcu.ac.uk uce.ac.uk 9) Bournemouth University: bournemouth.ac.uk 10) Brunel University London: brunel.ac.uk 11) Canterbury Christ Church University: cant.ac.uk 12) Cardiff Metropolitan University: uwic.ac.uk cardiffmet.ac.uk 13) Cardiff University: cardiff.ac.uk cf.ac.uk 14) City University of London: city.ac.uk 15) Coventry University: coventry.ac.uk 16) Cranfield University: cranfield.ac.uk 17) De Montfort University: dmu.ac.uk 18) Durham University: dur.ac.uk durham.ac.uk 19) Edinburgh Napier University: napier.ac.uk 20) Glasgow Caledonian University: gcal.ac.uk 21) Goldsmiths University of London: gold.ac.uk goldsmiths.ac.uk 22) Harper Adams University: harper-adams.ac.uk 23) Heriot-Watt University: hw.ac.uk 24) Imperial College London: ic.ac.uk imperial.ac.uk 25) Institute of Cancer Research: icr.ac.uk 26) Keele University: keele.ac.uk 27) King's College London: kcl.ac.uk 28) Kingston University: king.ac.uk kingston.ac.uk 29) Lancester University: lancaster.ac.uk lancs.ac.uk 30) Leeds Beckett University: lmu.ac.uk 31) Liverpool John Moores University: livim.ac.uk 32) London Business School: london.edu 33) London Metropolitan University: londonmet.ac.uk 34) London School of Economics: lse.ac.uk

35) London School of Hygiene & Tropical Medicine: lshtm.ac.uk

Proceedings on Privacy Enhancing Technologies 2023(2)

36) London South Bank University: lsbu.ac.uk 37) Loughborough University: lboro.ac.uk loughborough.ac.uk 38) Manchester Metropolitan University: mmu.ac.uk 39) Middlesex University: mdx.ac.uk 40) Newcastle University: ncl.ac.uk newcastle.ac.uk 41) Northumbria University: northumbria.ac.uk unn.ac.uk 42) Nottingham Trent University: ntu.ac.uk 43) Open University: open.ac.uk 44) Oxford Brookes University: brookes.ac.uk 45) Queen Margaret University: qmuc.ac.uk 46) Queen Mary University: gmw.ac.uk gmul.ac.uk 47) Queen's University Belfast: qub.ac.uk 48) Robert Gordon University: rgu.ac.uk 49) Royal Academy of Music: ram.ac.uk 50) Royal Central School of Speech and Drama: cssd.ac.uk 51) Royal College of Art: rca.ac.uk 52) Royal Holloway: rhbnc.ac.uk rhul.ac.uk royalholloway.ac.uk 53) School of Oriental and African Studies: soas.ac.uk 54) Sheffield Hallam University: shu.ac.uk 55) Staffordshire University: staffs.ac.uk 56) Swansea Uniiversity: swan.ac.uk swansea.ac.uk 57) Teesside University: tees.ac.uk 58) Ulster University: ulst.ac.uk ulster.ac.uk 59) University College London: ioe.ac.uk ucl.ac.uk ulsop.ac.uk 60) University of Aberdeen: abdn.ac.uk 61) University of Bath: bath.ac.uk 62) University of Bedfordshire: beds.ac.uk 63) University of Birmingham: bham.ac.uk birmingham.ac.uk 64) University of Bradford: brad.ac.uk bradford.ac.uk 65) University of Brighton: brighton.ac.uk bton.ac.uk

66) University of Bristol: bris.ac.uk bristol.ac.uk 67) University of Buckingham: buckingham.ac.uk 68) University of Cambridge: cam.ac.uk 69) University of Central Lancashire: uclan.ac.uk 70) University of Derby: derby.ac.uk 71) University of Dundee: dundee.ac.uk 72) University of East Anglia: uea.ac.uk 73) University of East London: uel.ac.uk 74) University of Edinburgh: eca.ac.uk ed.ac.uk edinburgh.ac.uk 75) University of Essex: essex.ac.uk sx.ac.uk 76) University of Exeter: ex.ac.uk exeter.ac.uk 77) University of Glasgow: gla.ac.uk glasgow.ac.uk 78) University of Gloucestershire: glos.ac.uk 79) University of Greenwich: gre.ac.uk greenwich.ac.uk 80) University of Hertfordshire: herts.ac.uk 81) University of Huddersfield: hud.ac.uk 82) University of Hull: hull.ac.uk 83) University of Kent: kent.ac.uk ukc.ac.uk 84) University of Leeds: leeds.ac.uk 85) University of Leicester: le.ac.uk leicester.ac.uk 86) University of Lincoln: lincoln.ac.uk 87) University of Liverpool: liv.ac.uk liverpool.ac.uk 88) University of Manchester: man.ac.uk manchester.ac.uk mcc.ac.uk umist.ac.uk 89) University of Northampton: northampton.ac.uk 90) University of Nottingham: nott.ac.uk nottingham.ac.uk 91) University of Oxford: ox.ac.uk 92) University of Plymouth: plym.ac.uk plymouth.ac.uk 93) University of Portsmouth: port.ac.uk 94) University of Reading: rdg.ac.uk reading.ac.uk

95) University of Roehampton: roehampton.ac.uk 96) University of Salford: salford.ac.uk 97) University of Sheffield: shef.ac.uk sheffield.ac.uk 98) University of South Wales: newport.ac.uk 99) University of Southampton: soton.ac.uk southampton.ac.uk 100) University of St Andrews: st-and.ac.uk st-andrews.ac.uk 101) University of Stirling: stir.ac.uk 102) University of Strathclyde: strath.ac.uk 103) University of Sunderland: sund.ac.uk sunderland.ac.uk 104) University of Surrey: surrey.ac.uk 105) University of Sussex: sussex.ac.uk susx.ac.uk 106) University of Wales Trinity Saint David: lamp.ac.uk 107) University of Warwick: warwick.ac.uk 108) University of West London: tvu.ac.uk 109) University of Westminster: westminster.ac.uk wmin.ac.uk 110) University of Wolverhampton: wlv.ac.uk 111) University of Worcester: worc.ac.uk 112) University of the Arts London: arts.ac.uk linst.ac.uk 113) University of the West of England Bristol: uwe.ac.uk 114) University of the West of Scotland: paisley.ac.uk 115) Universiy of York: york.ac.uk

C.8 The United States

1) Air Force Institute of Tech. Graduate School of Eng, & Mgmt.: afit.edu 2) American University: american.edu 3) Arizona State University: asu.edu 4) Arkansas State University: astate.edu 5) Auburn University: auburn.edu 6) Azusa Pacific University: apu.edu 7) Ball State University: bsu.edu 8) Baylor University: baylor.edu 9) Binghamton University: binghamton.edu 10) Boise State University: boisestate.edu

11) Boston College: bc.edu 12) Boston University: bu.edu 13) Bowling Green State University: bgsu.edu 14) Brandeis University: brandeis.edu 15) Brigham Young University: byu.edu 16) Brown University: brown.edu 17) CUNY City College: cuny.edu 18) California Institute of Technology: caltech.edu 19) Carnegie Mellon University: cmu.edu 20) Case Western Reserve University: case.edu 21) Catholic University of America: catholic.edu 22) Central Michigan University: cmich.edu 23) Chapman University: chapman.edu 24) Claremont Graduate University: cgu.edu 25) Clark Atlanta University: cau.edu 26) Clark University: clarku.edu 27) Clarkson University: clarkson.edu 28) Clemson University: clemson edu 29) Cleveland State University: csuohio.edu 30) College of William and Mary: wm.edu 31) Colorado School of Mines: mines.edu 32) Colorado State University: colostate.edu 33) Columbia University: columbia.edu 34) Cornell University: cornell.edu 35) Dartmouth College: dartmouth.edu 36) DePaul University: depaul.edu 37) Delaware State University: desu.edu 38) Drexel University: drexel.edu 39) Duke University: duke.edu 40) Duquesne University: duq.edu 41) East Carolina University: ecu.edu 42) East Tennessee State University: etsu.edu 43) Eastern Michigan University: emich.edu 44) Emory University: emory.edu

emory.edu 45) Florida Agricultural and Mechanical University: famu.edu 46) Florida Atlantic University:

fau.edu

47) Florida Institute of Technology: fit.edu 48) Florida International University: fiu.edu 49) Florida State University: fsu.edu 50) Fordham University: fordham.edu 51) Gallaudet University: gallaudet.edu 52) George Mason University: gmu.edu 53) George Washington University: gwu.edu 54) Georgetown University: georgetown.edu 55) Georgia Institute of Technology: gatech.edu 56) Georgia Southern University: georgiasouthern.edu 57) Georgia State University: gsu.edu 58) Hampton University: hamptonu.edu 59) Harvard University: harvard.edu 60) Howard University: howard.edu 61) Idaho State University: isu.edu 62) Illinois Institute of Technology: iit.edu 63) Illinois State University: illinoisstate.edu 64) Indiana University Purdue University Indianapolis: iupui.edu 65) Indiana University Bloomington: indiana.edu 66) Iowa State University: iastate.edu 67) Jackson State University: jsums.edu 68) Johns Hopkins University: ihu.edu 69) Kansas State University: k-state.edu 70) Kennesaw State University: kennesaw.edu 71) Kent State University at Kent: kent.edu 72) Lehigh University: lehigh.edu 73) Louisiana State University and Agricultural & Mechanical College: lsu.edu 74) Louisiana Tech University: latech.edu 75) Loyola Marymount University: lmu.edu 76) Loyola University Chicago: luc.edu 77) Marquette University: marguette.edu 78) Marshall University: marshall.edu 79) Massachusetts Institute of Technology: mit.edu 80) Mercer University: mercer.edu 81) Miami University: miamioh.edu 82) Michigan State University: msu.edu

83) Michigan Technological University: mtu.edu 84) Mississippi State University: msstate.edu 85) Missouri University of Science and Technology: mst.edu 86) Montana State University: montana.edu 87) Montclair State University: montclair.edu 88) Morgan State University: morgan.edu 89) New Jersey Institute of Technology: niit.edu 90) New Mexico State University: nmsu.edu 91) New York University: nyu.edu 92) North Carolina A & T State University: ncat.edu 93) North Carolina State University: ncsu.edu 94) North Dakota State University: ndsu.edu 95) Northeastern University: northeastern.edu 96) Northern Arizona University: nau.edu 97) Northern Illinois University: niu.edu 98) Northwestern University: northwestern.edu 99) Nova Southeastern University: nova.edu 100) Oakland University: oakland edu 101) Ohio State University: osu.edu 102) Ohio University-Main Campus: ohio.edu 103) Oklahoma State University: okstate.edu 104) Old Dominion University: odu.edu 105) Oregon State University: oregonstate.edu 106) Pennsylvania State University: psu.edu 107) Ponce Health Sciences University: psm.edu 108) Portland State University: pdx.edu 109) Princeton University: princeton.edu 110) Purdue University: purdue.edu 111) Rensselaer Polytechnic Institute: rpi.edu 112) Rice University: rice.edu 113) Rochester Institute of Technology: rit.edu 114) Rockefeller University: rockefeller.edu 115) Rowan University: rowan.edu 116) Rutgers University: rutgers.edu 117) SUNY College of Environmental Science and Forestry: esf.edu 118) Saint Louis University: slu.edu

Fiebig et al.

119) San Diego State University: sdsu.edu 120) Seton Hall University: shu.edu 121) South Dakota State University: sdstate.edu 122) Southern Illinois University: siue.edu siu.edu siumed.edu 123) Southern Methodist University: smu.edu 124) Stanford University: stanford.edu 125) Stevens Institute of Technology: stevens.edu 126) Stony Brook University: stonybrook.edu 127) Syracuse University: svracuse.edu 128) Temple University: temple.edu 129) Tennessee State University: tnstate.edu 130) Tennessee Technological University: tntech.edu 131) Texas A&M University: tamu.edu 132) Texas A&M UniversityCorpus Christi: tamucc.edu 133) Texas A&M UniversityKingsville: tamuk.edu 134) Texas Christian University: tcu.edu 135) Texas Southern University: tsu.edu 136) Texas State University: txstate.edu 137) Texas Tech University: ttu.edu 138) The New School: newschool.edu 139) Thomas Jefferson University: jefferson.edu 140) Tufts University: tufts.edu 141) Tulane University: tulane.edu 142) University of Akron Main Campus: uakron.edu 143) University of Alabama: ua.edu 144) University of Alabama in Huntsville: uah.edu 145) University of Alabama, Birmingham: uab.edu 146) University of Alaska Fairbanks: uaf.edu 147) University of Arizona: arizona.edu 148) University of Arkansas: uark.edu 149) University of Arkansas, Little Rock: ualr.edu 150) University of California, Berkeley: berkeley.edu 151) University of California, Davis: ucdavis.edu 152) University of California, Irvine: uci.edu 153) University of California, Los Angeles: ucla.edu

154) University of California, Merced: ucmerced.edu 155) University of California, Riverside: ucr.edu 156) University of California, San Diego: ucsd.edu 157) University of California, Santa Barbara: ucsb.edu 158) University of California, Santa Cruz: ucsc.edu 159) University of Central Florida: ucf.edu 160) University of Chicago: uchicago.edu 161) University of Cincinnati: uc.edu 162) University of Colorado, Boulder: colorado.edu 163) University of Colorado, Colorado Springs: uccs.edu 164) University of Colorado, Denver: ucdenver.edu 165) University of Connecticut: uconn.edu 166) University of Dayton: udayton.edu 167) University of Delaware: udel.edu 168) University of Denver: du.edu 169) University of Florida: ufl.edu 170) University of Georgia: uga.edu 171) University of Hawaii: hawaii.edu 172) University of Houston: uh.edu 173) University of Idaho: uidaho.edu 174) University of Illinois, Chicago: uic.edu 175) University of Illinois, Urbana Champaign: illinois.edu 176) University of Iowa: uiowa.edu 177) University of Kansas: ku.edu 178) University of Kentucky: uky.edu 179) University of Louisiana, Lafayette: louisiana.edu 180) University of Louisville: louisville.edu 181) University of Maine: umaine.edu 182) University of Maryland, Baltimore County: umbc.edu 183) University of Maryland, College Park: umd.edu 184) University of Maryland, Eastern Shore: umes.edu 185) University of Massachusetts Amherst: umass.edu 186) University of Massachusetts Boston: umb.edu 187) University of Massachusetts Dartmouth: umassd.edu 188) University of Massachusetts Lowell: uml.edu

189) University of Memphis: memphis.edu

Proceedings on Privacy Enhancing Technologies 2023(2)

190) University of Miami: miami.edu 191) University of Michigan: umich.edu 192) University of Minnesota: umn.edu 193) University of Mississippi: olemiss.edu 194) University of Missouri: missouri.edu 195) University of Missouri, Kansas City: umkc.edu 196) University of Missouri, St. Louis: umsl.edu 197) University of Montana: umt.edu 198) University of Nebraska, Lincoln: unl.edu 199) University of Nebraska, Omaha: unomaha.edu 200) University of Nevada, Las Vegas: unlv.edu 201) University of Nevada, Reno: unr.edu 202) University of New England: une.edu 203) University of New Hampshire: unh.edu 204) University of New Mexico: unm.edu 205) University of New Orleans: uno.edu 206) University of North Carolina, Chapel Hill: unc.edu 207) University of North Carolina, Charlotte: uncc.edu 208) University of North Carolina, Greensboro: uncg.edu 209) University of North Carolina, Wilmington: uncw.edu 210) University of North Dakota: und.edu 211) University of North Texas: unt.edu 212) University of Notre Dame: nd.edu 213) University of Oklahoma: ou.edu 214) University of Oregon: uoregon.edu 215) University of Pennsylvania: upenn.edu 216) University of Pittsburgh: pitt.edu 217) University of Puerto Rico: upr.edu 218) University of Rhode Island: uri.edu 219) University of Rochester: rochester.edu 220) University of San Diego: sandiego.edu 221) University of South Alabama: southalabama.edu 222) University of South Carolina: sc.edu 223) University of South Dakota: usd.edu 224) University of South Florida: usf.edu 225) University of Southern California:

usc.edu

226) University of Southern Mississippi: usm.edu 227) University of Tennessee: utk.edu 228) University of Texas Rio Grande Valley: utrgv.edu 229) University of Texas, Arlington: uta.edu 230) University of Texas, Austin: utexas.edu 231) University of Texas, Dallas: utdallas.edu 232) University of Texas, El Paso: utep.edu 233) University of Texas, San Antonio: utsa.edu 234) University of Toledo: utoledo.edu 235) University of Tulsa: utulsa.edu 236) University of Utah: utah.edu 237) University of Vermont: uvm.edu 238) University of Virginia: virginia.edu 239) University of Washington: washington.edu 240) University of Wisconsin, Madison: wisc.edu 241) University of Wisconsin, Milwaukee: uwm.edu 242) University of Wyoming: uwyo.edu 243) University, Albany: albanv.edu 244) University, Buffalo: buffalo.edu 245) Utah State University: usu.edu 246) Vanderbilt University: vanderbilt.edu 247) Villanova University: villanova.edu 248) Virginia Commonwealth University: vcu.edu 249) Virginia Polytechnic Institute and State University: vt.edu 250) Wake Forest University: wfu.edu 251) Washington State University: wsu.edu 252) Washington University in St. Louis: wustl.edu 253) Wayne State University: wayne.edu 254) West Virginia University: wvu.edu 255) Western Michigan University: wmich.edu 256) Wichita State University: wichita.edu 257) Worcester Polytechnic Institute: wpi.edu 258) Wright State University: wright.edu

31

259) Yale University:

yale.edu

260) Yeshiva University:

yu.edu



Figure 10: Universities' use of the 'Big Three' cloud providers (Amazon, Google, Microsoft) from January 2015 to October 2022.



Figure 11: Email providers used by universities from January 2015 to October 2022.

Proceedings on Privacy Enhancing Technologies 2023(2)



Figure 12: Cloud-hosted Learning Management Systems (LMS) used by universities from January 2015 to October 2022.



Figure 13: Video chat tools used by universities from January 2015 to October 2022.



Figure 14: Universities with at least one name containing 'moodle' or 'studip' from January 2015 to October 2022.



Figure 15: Universities with at least one BigBlueButton-related DNS entry from January 2015 to October 2022.

Fiebig et al.